

PRODUCT CATALOGUE

Rapid®
SVENSKEFFIXITY


MAN
HOUSE
Rapid
R2000
Rapid
BTX10
Rapid
Rapid
BTX606

CONTENTS

Introduction 4-13

Stapling and Nailing

Manual Staple Guns 14-21

Hammer Tackers 22-23

Electric Staple and Nail Guns 24-27

Pneumatic Staple and Nail Guns 28-31

Staples and Nails 32-47

Gluing 48-61

Hot Air Guns 62-67

18V Power Tools 68-73

Riveting 74-81

Plasterboard Fixing 82-85

Work Lights 86-89

Garden Tools 90-95

Industrial & Print Finishing 96-102



In addition to our extensive standard range, from time to time we offer campaign products to attract and engage users. The staple gun shown is from our 'Spirit of Sweden' campaign.



WELCOME TO RAPID

We are much more than suppliers of products for your home or professional life. We are advisors and providers of proven concepts that help you with a wide range of tasks. From larger construction projects to quick problem solving, whatever you're looking for, Rapid has it.

Choosing Rapid means choosing a reliable partner with proven solutions specially adapted for the user. In order to keep our promises and to ensure quality day after day, we monitor and control the entire value chain, from idea to finished product. The design and development part of this process is built on the solid foundation of our Swedish heritage, with effective and easy solutions as well as a product range filled with a wide variety of products for home improvement and professional use.

SUSTAINABILITY CREATES ITS OWN REWARDS

The most convincing confirmation of our sustainability efforts comes from meeting people who have used a Rapid product for many years – because a tool that lasts longer is the best tool for the environment. But our sustainability efforts go much further than that.

Because Rapid is part of the Acco brand's EMEA, we share common sustainability targets. Two of our main targets are zero direct CO2 emissions in terms of electricity consumed in the group's manufacturing and distribution facilities and a 15% reduction in electricity consumption. Our Swedish factory only uses electricity from renewable sources and during 2024, managed to reduce electricity consumption by 30 percent.

It's also our pleasure to report that in april 2026, the Acco brand's EMEA was awarded the silver medal by EcoVadis – independent, international analysts who evaluate the sustainability rating of companies based on their performance within environmental impact, labour and human rights, ethics and sustainable procurement. The silver medal means that Acco brand's EMEA is in the top 15% of all companies rated globally (in total, over 150 000 companies were rated).

Rapid is also a member of the "Make It Zero" organisation. This is an industry-wide collaboration between suppliers and retailers designed to scale up initiatives that lead to a reduction in indirect emissions (Scope 3).



SILVER | Top 15%

ecovadis

Sustainability Rating

APR 2026

The Silver rating places ACCO Brands EMEA in the top 15% of companies globally, with an “Advanced” score in all four rated areas: Environment, Labour & Human Rights, Ethics and Sustainable Procurement.


MAKE IT ZERO

DECARBONISE DIY

Make It Zero is an initiative in the DIY sector, developed by EDRA/GHIN (European DIY Retailers Association and Global Home Improvement Network). The initiative brings together retailers and suppliers from across the world to collaborate and scale up their efforts to reduce Scope 3 emissions.



DISPLAY, GUIDE AND INCREASE SALES



On packaging, tools and in stores – everywhere you find our products – you'll see symbols, icons and written guides designed to help the end user as much as possible.

Our goal is to make choosing Rapid products easier for both user and retailer. This is especially true for Rapids instore material. Products, packaging and signage have been designed to spark interest, inform and guide. All this increases your opportunities for optimised sales.

The customer is offered not just individual products, but a complete system. Packaging features clear symbols, images and texts that help the products sell themselves.

In addition, our semi-open packaging design exposes handles and triggers, in order to let the customer hold, feel and experience the product.

We apply logical product range differentiation – good, better, best – and shelf layout is optimised thanks to a space management system. We also offer activities, promotions and Point of Sale material that inspires and guides and everything is tailor-made for your store.





The tools in our PRO range are used by craftsmen all over the world.



Product guides on shelves, displays and packaging make it easier for customers to find the right product.



With smart test modules, sales increase while the customer can feel secure in the product they buy.

POWERFUL COLLABORATIONS, BRIGHT IDEAS AND ERGONOMIC TOOLS

Don't miss our range of 18V power tools created in collaboration with the Bosch battery partnership – POWER FOR ALL ALLIANCE. We also ensure that our tools can be used in well lit working environments. But above all, we make sure they are comfortable and easy to use. Easy Peasy!



WORK LIGHTS

We identified a problem. Despite all the instore technical information, consumers are having problems choosing the correct work light. Our range of work lights has been developed for a variety of applications. What sets our products apart is that we guide the user towards the right choice using clear names, symbols, images and text.

If you're painting or wallpapering, for example, you don't need to know anything about kelvin or lumens (although this information is available). A quick glance at the packaging or guide is enough to enable you to make the correct choice.

easy peasy

Rapid Squeezy™



EASY PEASY

Stapling should be easy. Rapid Squeezy™ with Powercurve® Technology reduces the hand force needed to staple by up to 50%. In addition, the RPC7 can be loaded with seven different types of staples and nails. Easy Peasy.



18V POWER TOOLS

Rapids 18V power tools are part of Bosch's battery alliance, POWER FOR ALL ALLIANCE. The same battery can be used with over 150 different products from more than 10 well-known brands.

POWER FOR ALL 18V ALLIANCE



STAPLING AND NAILING



Rapid has been working with staples and stapling since 1936. We have developed, tested and manufactured staple and nail guns for almost 100 years. Rapid offers a wide range of durable, user-friendly tools designed to meet the needs of both professional and DIY users.

Many of our tools are manufactured at our facility in Hestra, Sweden.

Suitable for:

Textiles

Building material

Low voltage cable

Thin skirting board



MANUAL STAPLE GUNS

Rapid has the market's strongest range of staple guns. We offer staple guns for all types of use – from once a month to every day of the week and for tough outdoor work or precise indoor projects.

As the market leader, we lead the development of quality and innovation and offer guidance that ensures the customer can easily make the correct choice of product.

R34



Staple 140 6–14 mm

PRO

Powerful, no compromises staple gun. Designed for demanding professional applications and precision operation. Ideal for fastening thinner boards, Masonite, insulation material and damp proof coursing.

- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

Description	Art. No.	EAN Code	Units
Box PRO	10595721	7313465957219	6
T&F - West	5001671	4051661042690	5
T&F - East	5001687	4051661043819	5
Premium Case incl staples	5001379	4051661032172	5

R14



Staple 140 6–8 mm

PRO

Light, easy to use metal staple gun ideal for demanding, professional jobs and precision operation. Use for fastening insulation, damp proof coursing, plastic wrap, tarpaulin and cardboard.

- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

Description	Art. No.	EAN Code	Units
Box PRO	5000438	4051661015151	6
T&F - West	5001670	4051661042683	5
T&F - East	5001686	4051661043802	5

ALU840



Brad 8 15 mm

Staple 140 6–14 mm

PRO

Powerful, ergonomically superior aluminium staple gun for demanding use. Suitable for many tough jobs including insulation, damp proof coursing, plastic wrap and cardboard.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Aluminium casing and all-steel wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic soft grip handle with lock function for easy storage
- Dual magazine for flatwire staples and brads
- Made in Sweden
- 5 year guarantee

Description	Art. No.	EAN Code	Units
Box PRO	22876001	7313468760014	7
T&F - West	5001674	4051661042720	5

ALU940



Brad 8 15 mm

Staple 140 6–14 mm

For home and DIY users seeking professional performance levels, the ALU940 is a newly developed, revolutionary staple gun, which is up to 65% easier to fire compared with conventional staple guns. Suitable for insulation materials, damp proof coursing and thinner boards.

- Patented Powercurve® Technology - follows the hand's natural power curve exactly
- Up to 65% easier to squeeze
- Patented 3 step force adjuster for perfect force optimization
- Cast aluminium body
- All-steel wear parts inside
- Ergonomic handle with comfortable soft grip areas
- Dual magazine for flatwire staples and brads
- 3 year guarantee

Description	Art. No.	EAN Code	Units
T&F - West	5001680	4051661043741	5
T&F - East	5001692	4051661043864	5

West: GB DE FR NL IT ES PT SE DK FI EE LT LV GR
East: GB DE PL TR CZ SK SI HR HU RO BG

ALU740



Brad 8 15 mm

Staple 140 6–14 mm

Robust, aluminium staple gun for DIY and home projects. Suitable for insulation materials, damp proof coursing and thinner boards.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Cast aluminium body
- All-steel wear parts inside
- Soft grip areas
- Dual magazine for flatwire staples and brads
- 3 year guarantee

Description	Art. No.	EAN Code	Units
T&F - West	5001676	4051661042744	5
T&F - East	5001689	4051661043833	5

RPC140



Staple 140 6–16 mm

Easy-to-use staple gun for materials such as plastic film, Masonite, carpets, and corrugated board. Can be loaded with 16 mm staples, which is recommended for certain insulating materials. Rapid's unique Powercurve® Technology reduces the force required to staple by up to 50%.

- Patented Powercurve® Technology - follows the hand's natural power curve exactly
- Up to 50 % easier to squeeze
- 2-step force adjuster for optimised power
- All-steel wear parts inside
- Ergonomic handle
- Made in Sweden
- 3 year guarantee

Description	Art. No.	EAN Code	Units
T&F - West	5001630	4051661040450	5
T&F - East	5001633	4051661040481	5
Insulation kit incl staples	5001750	4051661045509	5

R33

PRO



Staple 13 6–14 mm

Powerful, no compromises staple gun. Designed for demanding professional applications and precision operation. Ideal for fastening of heavy textiles, carpet and netting.

- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

Description	Art. No.	EAN Code	Units
Box PRO	10582521	7313465825211	6
T&F - West	5001669	4051661042676	5
T&F - East	5001685	4051661043796	5

R30

PRO



Staple 13 4–8 mm

Precision performance, professional level staple gun that features a long, extended nose. Ideal for use on uneven, awkward surfaces where a standard staple gun might have difficulty accessing. Suitable for fastening of weather strips, textiles, netting.

- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster
- Projection nose to access corners
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

Description	Art. No.	EAN Code	Units
T&F - West	5001668	4051661042669	5

West: GB DE FR NL IT ES PT SE DK FI EE LT LV GR
East: GB DE PL TR CZ SK SI HR HU RO BG

R23



Staple 13 4–8 mm

PRO

Light, easy to use metal staple gun ideal for demanding, professional jobs and precision operation. Use for furniture upholstery or fastening of thinner fabrics, paper, labels.

- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

Description	Art. No.	EAN Code	Units
Box PRO	10600521	7313466005216	6
T&F - West	5001667	4051661042652	5
T&F - East	5001684	4051661043789	5

R13



Staple 13 4–10 mm

Light, easy to handle staple gun for home projects or easier professional jobs. Ideal for furniture upholstery, decorative work with diverse textile types or fastening of quilts, posters or leather.

- All-steel wear parts inside
- Ergonomic handle
- Made in Sweden
- 3 year guarantee

Description	Art. No.	EAN Code	Units
Box PRO	5001754	4051661042287	6
T&F - West	5001660	4051661042317	5
T&F - East	5001662	4051661042331	5

R353



Staple 53 6–14 mm

PRO

Powerful, no compromises staple gun. Designed for demanding professional applications and precision operation. Ideal for fastening of heavy textiles, carpet and netting.

- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

Description	Art. No.	EAN Code	Units
Box PRO	10640125	7313466401254	6
T&F - West	5001666	4051661042645	5
T&F - East	5001683	4051661043772	5
Premium Case incl staples	5001380	4051661032202	5

R153



Staple 53 4–8 mm

PRO

Light, easy to use metal staple gun ideal for demanding, professional jobs and precision operation. Use for furniture upholstery or fastening of thinner fabrics, paper, labels.

- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

Description	Art. No.	EAN Code	Units
Box PRO	10602125	7313466021254	6
T&F - West	5001665	4051661042638	5
T&F - East	5001682	4051661043765	5

West: GB DE FR NL IT ES PT SE DK FI EE LT LV GR
East: GB DE PL TR CZ SK SI HR HU RO BG



ALU853

Brad 8 15 mm

Staple 53 6–14 mm

Description	Art. No.	EAN Code	Units
T&F - West	5001675	4051661042737	5

Powerful, ergonomically superior aluminium staple gun for demanding use. Suitable for repetitive jobs including fastening of textiles, carpets, leather or labels.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Aluminium casing and all-steel wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic soft grip handle with lock function for easy storage
- Dual magazine for finewire staples and brads
- Made in Sweden
- 5 year guarantee



ALU953

Brad 8 15 mm

Staple 53 6–14 mm

Description	Art. No.	EAN Code	Units
T&F - West	5001678	4051661042768	5
T&F - East	5001691	4051661043857	5

For home and DIY users seeking professional performance levels, the ALU953 is a newly developed, revolutionary staple gun, which is up to 65 % easier to fire compared with conventional staple guns. Suitable for furniture upholstery, decorative work or thinner boards.

- Patented Powercurve® Technology - follows the hand's natural power curve exactly
- Up to 65 % easier to squeeze
- Patented 3 step force adjuster for perfect force optimization
- Cast aluminium body
- All-steel wear parts inside
- Ergonomic handle with comfortable soft grip areas
- Dual magazine for finewire staples and brads
- 3 year guarantee



ALU753

Brad 8 15 mm

Staple 53 6–14 mm

Description	Art. No.	EAN Code	Units
T&F - West	5001677	4051661042751	5
T&F - East	5001690	4051661043840	5

Robust, aluminium staple gun for DIY and home projects. Suitable for diverse textile types and thinner boards.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Cast aluminium body
- All-steel wear parts inside
- Soft grip areas
- Dual magazine for finewire staples and brads
- 3 year guarantee



RPC7

Staple 13 6–14 mm

Brad 8 15 mm

Staple 53 6–14 mm

Pin 9 15 mm

Staple 140 6–14 mm

Cable 7 12–14 mm

Cable 36 12–14 mm

Description	Art. No.	EAN Code	Units
T&F - West	5001632	4051661040474	5
T&F - East	5001635	4051661040504	5
Kit incl 5 packs of consumables	5001746	4051661045424	5

The RPC7 can be loaded with finewire, flatwire and cable staples, brad nails and pins. The application areas for this staple gun are therefore extremely numerous. Rapid's unique Powercurve® Technology reduces the force required to staple by up to 50%.

- Multi-magazine for finewire, flatwire and cable staples, brads and pins
- Patented Powercurve® Technology - follows the hand's natural power curve exactly
- Up to 50 % easier to squeeze
- 2-step force adjuster for optimised power
- All-steel wear parts inside
- Ergonomic handle
- Made in Sweden
- 3 year guarantee

West: GB DE FR NL IT ES PT SE DK FI EE LT LV GR
East: GB DE PL TR CZ SK SI HR HU RO BG

RPC4



Brad 8 15 mm
Pin 9 15 mm
Staple 13 6–16 mm
Staple 53 6–16 mm

Easy-to-use staple gun, can be loaded with finewire staples, brad nails and pins. Suitable for a variety of jobs such as upholstery, trim work, canvas for paintings etc. Rapid's unique Powercurve® Technology reduces the force required to staple by up to 50%.

- Multi-magazine for finewire staples, brads and pins
- Patented Powercurve® Technology - follows the hand's natural power curve exactly
- Up to 50 % easier to squeeze
- 2-step force adjuster for optimised power
- All-steel wear parts inside
- Ergonomic handle
- Made in Sweden
- 3 year guarantee

Description	Art. No.	EAN Code	Units
T&F - West	5001631	4051661040467	5
T&F - East	5001634	4051661040498	5

R53



Staple 53 4–10 mm

Light, easy to handle staple gun for home projects or easier professional jobs. Ideal for furniture upholstery, decorative work with diverse textile types or fastening of quilts, posters or leather.

- All-steel wear parts inside
- Ergonomic handle
- Made in Sweden
- 3 year guarantee

Description	Art. No.	EAN Code	Units
Box PRO	5001755	4051661042782	6
T&F - West	5001661	4051661042324	5
T&F - East	5001663	4051661042348	5
Kit incl staples	5001747	4051661045431	5

MT20



Brad 8 15 mm
Staple 53 6–14 mm

Light, easy to handle staple gun for DIY and home projects such as upholstery, fabrics, leather, labels, thinner boards and other light carpentry work.

- 2-step force adjuster for optimised power
- All-steel wear parts inside
- Ergonomically-designed handle
- Incl 200 staples

Description	Art. No.	EAN Code	Units
Box	5001775	4051661046032	5

MT10



Staple 13 6–10 mm
Staple 53 6–10 mm

Light, easy to handle staple gun for DIY and home projects such as upholstery, fastening thinner materials, fabrics, leather, paper, as well as labels.

- All-steel wear parts inside
- Ergonomically-designed handle
- Incl 200 staples

Description	Art. No.	EAN Code	Units
Box	5001774	4051661046025	5

PRO



R28

28 **Cable** 9–11 mm

Description	Art. No.	EAN Code	Units
Box PRO	20511710	7313465117101	6
T&F - West	5001672	4051661042706	5

Superior cable gun for diverse, demanding professional jobs and precision operation. Specially designed for low voltage cables up to 4.5 mm in diameter such as speaker or alarm cables. Can be set to reflect the material's hardness or cable diameter.

- For 4.5 mm cable
- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

PRO



R36

7 **Cable** 10–14 mm

36 **Cable** 10–14 mm

Description	Art. No.	EAN Code	Units
Box PRO	20511811	7313465118115	6
T&F - West	5001673	4051661042713	5
T&F - East	5001688	4051661043826	5

Superior cable gun for diverse, demanding professional jobs and precision operation. Specially designed for low voltage cables up to 6 mm in diameter such as speaker or alarm cables. Can be set to reflect the material's hardness or cable diameter.

- For 6 mm cable
- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster.
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee




R3 Staple remover

Description	Art. No.	EAN Code	Units
Box	5001701	4051661041112	1

Easy to use staple remover for professional or DIY and home use. Able to pull out almost any kind of staple without damaging surrounding material.

- Steel wear parts
- Vice jaw grip
- Ergonomic handle

West: GB DE FR NL IT ES PT SE DK FI EE LT LV GR
East: GB DE PL TR CZ SK SI HR HU RO BG





R13 Spirit of Sweden

13 Staple 4–10 mm

Description	Art. No.	EAN Code	Units
T&F Skärgård (blue)	5001618	4051661041488	6
T&F Skog (green)	5001619	4051661041495	6
T&F Blomster (yellow)	5001620	4051661041501	6
T&F Ljung (pink)	5001621	4051661041518	6
13 Staple 8 mm 1080 pcs	5001622	4051661041525	7

Spirit of Sweden - Swedish produced staple guns in colours from the Swedish nature, all in 89% recycled plastics. Light, easy to handle staple gun for home projects or easier professional jobs. Ideal for furniture upholstery, decorative work with diverse textile types or fastening of quilts, posters or leather.

- 89% post-consumer recycled plastic
- Made in Sweden
- Colour inspiration from the Swedish nature
- All-steal wear parts inside
- 3 year guarantee

The recycled material is Recycled Content Certified by SCS Global Services.



R53 Spirit of Sweden

53 Staple 4–10 mm

Description	Art. No.	EAN Code	Units
T&F Skärgård (blue)	5001613	4051661041433	6
T&F Skog (green)	5001614	4051661041440	6
T&F Blomster (yellow)	5001615	4051661041457	6
T&F Ljung (pink)	5001616	4051661041464	6
53 Staple 8 mm 1080 pcs	5001617	4051661041471	7

Spirit of Sweden - Swedish produced staple guns in colours from the Swedish nature, all in 89% recycled plastics. Light, easy to handle staple gun for home projects or easier professional jobs. Ideal for furniture upholstery, decorative work with diverse textile types or fastening of quilts, posters or leather.

- 89% post-consumer recycled plastic
- Made in Sweden
- Colour inspiration from the Swedish nature
- All-steal wear parts inside
- 3 year

The recycled material is Recycled Content Certified by SCS Global Services.

Suitable for:

Roofing felt

Vapor barriers

Insulation plastic

Wind barriers



HAMMER TACKERS

A hammer tacker is perfect when the job needs to be done quickly. Our hammer tackers are manufactured at our Swedish facility to quality standards that ensure they can withstand tough working conditions for many years.

Thanks to the hammer's bounce-back technology, users experience reduced physical demands. The hammer bounces back after the strike, reducing the need for muscle power and unnecessary strain on the arm. Ergonomically designed handles also contribute to user-friendly performance and reduce the risk of injury.

R54



Staple 140 10–14 mm

PRO

Powerful, professional hammer tacker able to deliver extra long staples with precision. Ideal for high-frequency fastening of roofing and thicker insulation material or rubber/ textile flooring.

- Large buffer plate protects the material in work
- Well balanced with non-slip handle
- All steel, heavy-duty construction
- Made in Sweden

Description	Art. No.	EAN Code	Units
Box PRO	10566826	7313465668269	10
Box	5001696	4051661041068	6

R311



Staple 140 6–12 mm

PRO

Hammer tacker with superior precision and working life. Ideal for fastening of roofing and insulation material and damp proof coursing.

- Bottom loaded quick-load mechanism with no loose parts
- Reversible staple driver for long working life
- Large buffer plate protects the material in work
- Well balanced with patented 4-way grip handle
- All steel, heavy-duty construction
- Made in Sweden

Description	Art. No.	EAN Code	Units
Box PRO	5000004	4051661000058	10
Box	5001695	4051661041051	6

R11



Staple 140 6–10 mm

PRO

Powerful, precision hammer tacker for demanding professional applications. Ideal for high-frequency jobs such as fastening roofing and insulation material.

- The original R11 Hammer tacker
- Well balanced with patented 4-way grip handle
- All steel, heavy-duty construction
- Made in Sweden

Description	Art. No.	EAN Code	Units
Box PRO	20725901	7313467259014	10
Box	5001694	4051661041044	6

R19



Staple 13 4–6 mm

PRO

Lightweight, easily handled hammer tacker perfect for regular, demanding use. Ideal for fastening of labels, posters, textiles, plastic wrap or insulation material.

- Quick and easy bottom-loading with no loose parts
- Well balanced with non-slip ergonomic handle
- All steel, heavy-duty construction
- Made in Sweden

Description	Art. No.	EAN Code	Units
Box PRO	20726001	7313467260010	10
Box	5001693	4051661041037	6

Hammer Tacker Holster



High quality hammer tacker holster especially designed for our R311 and R11 models. Keeps your hammer tacker safely stored and always within reach. Increases working efficiency and workplace safety.

- Tough stitching and robust waterproof nylon
- Riveted for high durability
- Reinforced with anti-slip fabric and steel mesh webbing

Description	Art. No.	EAN Code	Units
Hammer Tacker Holster	5000097	4051661002007	1

Suitable for:

Textiles

Wood paneling

Skirting board

Plastic wrapping



ELECTRIC STAPLE AND NAIL GUNS

No matter the job in hand, Rapid's electric staple and nail guns deliver quality performance and precision fastening.

Designed to cater for a broad spectrum of users and applications, we offer a highly comprehensive selection to the market. Our 18V power tools are part of Bosch's battery alliance, POWER FOR ALL ALLIANCE which means the same battery can be used together with over 150 different products from over ten well-known brands.

Like every Rapid product, the range has its starting point in outstanding ergonomics, performance and user-focused features. Furthermore, they are maintenance free, and able to fasten materials quickly and with high accuracy.



BNX50

Brad 20–50 mm

Cordless brad nailer powered by the Power For All Alliance battery system. Ideal for installing trimming, casing or skirting board. A nail depth adjuster makes it easier to work with different brad nail lengths. Two firing settings: single shot or bump fire.

- For 18Ga brads No.8, 20-50 mm
- Runs with the POWER FOR ALL ALLIANCE 18V battery
- Up to 600 shots with a 2.5 Ah battery
- Flexible, with single shot or bump fire
- LED charge indicators
- Nail depth adjuster
- Integrated holster belt hook
- LED front work light

*incl battery (2.5 Ah), charger and 300 brad nails

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001501	4051661037627	3
Showcase*	5001498	4051661037597	3
Showcase* - UK Plug	5001499	4051661037603	3



EN330

Brad 15–30 mm

Electric brad nailer perfect for working with wood - for example finishing trim around window and door frames and tongue-and-groove panels.

- For brad No. 8, 15-30 mm
- Instant trigger response for efficient work
- Push-button magazine opening
- Two-step sequential firing for safety
- Non-marking rubber pad
- Extended nose
- Adjustable power setting
- Allen key and 1 extra rubber nose pad is included

Description	Art. No.	EAN Code	Units
Box	5001481	4051661037023	5
Clamshell	5001386	4051661032394	5



R606

Brad 15–25 mm

Staple 12–25 mm

PRO

For powerful stapling and nailing to precision, professional standards. High performance over a long, demanding working life. Perfect for smaller wood constructions such as picture frames, drawers or fastening panelling.

- Adjustable impact setting through Focused Power – the higher the power, the harder the stapling
- Removable front plate for easy removal of jammed staples
- Including guide-plate to aid panel clip mounting
- Recoil free action
- Safety trigger
- Long 3 meter cord
- Dual magazine for narrow crown staples and brads

Description	Art. No.	EAN Code	Units
Box	10643001	7313466430018	5
Box - UK plug	10643003	7313466430032	5
Box - CH plug	5000728	4051661022715	5
Showcase incl staples	10643015	7313466430155	2



BTX606

Brad 15–30 mm

Staple 12–25 mm

Cordless staple gun powered by the Power For All Alliance battery system. Ideal for materials such as Masonite, plywood and chipboard. Takes also brad nails, ideal for trimming. An adjustable driving force with six settings makes it easier to work with different staple and brad nail lengths and various materials.

- For narrow crown staple No. 606, 12-25 mm and 18 Ga brad No. 8, 15-30 mm
- Runs with the POWER FOR ALL ALLIANCE 18V battery
- Up to 2500 shots with the 2.5 Ah battery
- Adjustable driving force with six settings
- LED charge indicators
- LED front work light

*incl battery (2.5 Ah), charger, 200 staples and 200 brads

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001505	4051661037665	5
Showcase*	5001502	4051661037634	3
Showcase* - UK Plug	5001503	4051661037641	3

BTX140



Brad 15 mm

Staple 6–14 mm

Description	Art. No.	EAN Code	Units
Showcase	5001387	4051661032424	3
Showcase - Global	5001388	4051661032455	3
A1300 Battery for BTX530 & BTX140	5000182	4051661007415	20

Multi-application, battery powered mobile staple gun ideal for home and DIY jobs. Cordless operation for more freedom of movement. Perfect for everyday use and tasks such as fastening insulation foil, cardboard or thinner wooden material.

- High battery performance with a 7.2 V Li-Ion battery
- Fires more than 1300 staples per full charge
- 90 min charging time
- Ergonomic design with soft grip handle and perfect balance
- Adjustable Power
- Safety nose to prevent accidental fi ring
- Dual magazine for flatwire staples and brads

BTX14



Staple 6–10 mm

Description	Art. No.	EAN Code	Units
Box	5001773	4051661046018	5

Compact, battery-powered staple gun designed for flatwire staples with 6-10 mm leg length, ideal for insulation, thin sheeting and foil. Thanks to the unique firing system, the staples are driven in the moment you pull the trigger.

- Quick Fire System™ – the staples are driven in the moment you pull the trigger
- Soft, ergonomic grip
- Straight front for use close to walls
- Integrated Li-ion battery - charging time 100 min
- USB-C cable for charging included
- Safety nose to protect against accidental firing
- Lightweight
- Incl 200 staples

ET140



Brad 15 mm

Staple 6–14 mm

Description	Art. No.	EAN Code	Units
Box	5001822	4051661044274	5

A light, comfortably handled electric staple gun for simpler use around the house. Ideal for fastening thinner wooden material, carton or plastic wrap.

- Ergonomic design
- Safety nose contact to prevent accidental firing
- Dual magazine for flatwire staples and brads
- Incl 200 staples

R553



Brad 15–20 mm

Staple 8–20 mm

Description	Art. No.	EAN Code	Units
Box PRO	10642901	7313466429012	5
Box - CH plug	5000727	4051661022685	5
Showcase incl staples	10642912	7313466429128	2

PRO

Powerful, robust staple gun designed for regular, professional use and precision operation. Ideal for furniture upholstery work or other types of fabric, carpets, leather or more sensitive textiles.

- Adjustable impact setting through Focused Power – the higher the power, the harder the stapling
- Removable front plate for easy removal of jammed staples
- Recoil free action
- Safety trigger
- Long 3 meter cord
- Dual magazine for finewire staples and brads

BTX553



Brad 8 15-20 mm

Staple 53 8–20 mm

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001509	4051661037702	5
Showcase*	5001506	4051661037672	3
Showcase* - UK Plug	5001507	4051661037689	3

Cordless staple gun powered by the Power For All Alliance battery system. Ideal for materials such as textile, leather, wood, plastic, cardboard, rubber and synthetic fabric. Takes also brad nails, ideal for trimming. An adjustable driving force with six settings makes it easier to work with different staple and brad nail lengths and various materials.

- For finewire staple No. 53, 8-20 mm and 18Ga brad No. 8, 15-20 mm
- Runs with the POWER FOR ALL ALLIANCE 18V battery
- Up to 2500 shots with the 2.5 Ah battery
- Adjustable driving force with six settings
- LED charge indicators
- LED front work light

*incl battery (2.5 Ah), charger and 300 staples

BTX530



Brad 8 15 mm

Staple 53 6–14 mm

Description	Art. No.	EAN Code	Units
Showcase	5000128	4051661002755	3
Showcase - Global	5000214	4051661008351	3
A1300 Battery for BTX530 & BTX140	5000182	4051661007415	20

Multi-application, battery powered mobile staple gun ideal for home and DIY jobs. Cordless operation for more freedom of movement. Perfect for everyday use and tasks such as furniture upholstery, textile work or fastening carpet, leather or thinner wooden material

- High battery performance with a 7.2 V Li-Ion battery and fast recharging
- Fires more than 1300 staples per full charge
- Ergonomic design with soft grip handle and perfect balance
- Adjustable Power
- Safety nose to prevent accidental firing
- Dual magazine for finewire staples and brads

BTX10



Staple 53 4–10 mm

Description	Art. No.	EAN Code	Units
Box	5001497	4051661037566	5

Compact, battery-powered staple gun designed for finewire staples with 4-10 mm leg length, ideal for reupholstering furniture, fastening textiles, putting up posters etc. Thanks to the unique firing system, the staples are driven in the moment you pull the trigger.

- Quick Fire System™ – the staples are driven in the moment you pull the trigger
- Soft, ergonomic grip
- Straight front for use close to walls
- Integrated Li-ion battery - charging time 100 min
- USB-C cable for charging included
- Safety nose to protect against accidental firing
- Lightweight
- Incl 200 staples

ET53



Brad 8 15 mm

Staple 53 6–14 mm

Description	Art. No.	EAN Code	Units
Box	5001819	4051661044243	5

Light, comfortably handled electric staple gun perfect for simpler tasks around the house. Ideal for furniture upholstery work, textile decoration tasks or fastening thinner wooden material.

- Ergonomic design
- Safety nose contact to prevent accidental firing
- Dual magazine for finewire staples and brads
- Incl 200 staples

Suitable for:

Boarding

Wood paneling

Skirting

Textiles



PNEUMATIC STAPLE AND NAIL GUNS

When the job demands high-tempo, precision fastening, Rapid's pneumatic staple and nail guns always deliver the best results. Our powerful, efficient products make working with long leg staples easy and trouble-free.

Every model is characterised by ergonomic performance enabled by lightweight construction, great balance and smartly designed, easy-to-use handles - and of course, we have also prioritized performance, user-focused features and creating a selection of models that covers many different types of staples and nails. Together these features deliver outstanding working efficiency and user comfort, whatever the job.



PB161

PRO

Brad
32
32–64 mm

This pneumatic brad nailer is the professional's choice for high tempo, intensive jobs. Ideal for parquet flooring, balcony and terrace fixing and furniture work.

- Drive brads up to 64 mm
- Single sequential actuation firing
- Angled magazine 34° for better access
- 360° adjustable air exhaust – keeps dust away from the work surface
- Strong and durable light weight magnesium body
- Adjustable-depth-of-drive mechanism
- Quick loading system
- No-mar pad to protect work surfaces
- Easy-to-Clear Mechanism – to remove jams fast and easy
- Comfort grip
- Incl wrenches and start set of 300 brads of 50 mm.

Description	Art. No.	EAN Code	Units
Showcase	5000104	4051661001857	2



PMP171

PRO

Micro-Pin
23P
15–35 mm

Professional pneumatic micro pinner, designed for a precise work with 23 Ga pins. Ideal for intensive work on door and window framing, baseboards, plasterboards, light wood panels and decorative trim.

- Drive 23 Ga micro pins up to 35 mm
- Contact actuation firing
- 360° adjustable air exhaust - keeps dust away from the work surface
- Strong and durable light weight aluminium body
- Quick loading system
- Comfort grip
- Incl wrenches and start set of 500 micro-pins of 25 mm

Description	Art. No.	EAN Code	Units
Case	5001345	4051661031465	5



PBS151

PRO

Brad
8
15–50 mm

Staple
90
20–40 mm

Professional level dual narrow crown pneumatic stapler and nailer. Ideal for high tempo furniture, panelling, cabinet making, finishing and trim work.

- Shoot staples up to 40 mm and brads up to 50 mm
- Contact actuation firing
- Strong and durable light weight magnesium body
- Quick loading system
- Comfort grip
- Dual magazine for narrow crown staples and brads
- Incl wrenches and start set of 200 staples of 25 mm and 200 brads of 30 mm.

Description	Art. No.	EAN Code	Units
Showcase	5000103	4051661001840	4

PRO



PS141

Staple
6–16 mm

Description	Art. No.	EAN Code	Units
Showcase	5000095	4051661001758	5

Professional, powerful, precise pneumatic stapler with an elongated nose. Ideal for intensive work on upholstery, padding and all kinds of fabric.

- Shoot industrial staples up to 16 mm
- Contact actuation firing
- Low air consumption < 0,3 l
- 360° adjustable air exhaust – keeps dust away from the work surface
- Strong, light weight magnesium body and compact size offer easier handling and operation
- Long nose for precision work
- No-mar pad – to protect work surfaces
- Comfort grip
- Incl wrenches and start set of 300 staples of 10 mm

PRO



PB131

Brad
15–50 mm

Description	Art. No.	EAN Code	Units
Showcase	5000054	4051661000607	4

Professional pneumatic brad nailer, designed for frequent use and high tempo work. Ideal for wood panelling, door frames, wooden terrace planks and furniture construction.

- Shoot brads up to 50 mm
- Single sequential actuation firing
- 360° adjustable air exhaust – keeps dust away from the work surface
- Strong and durable light weight magnesium body
- Adjustable-depth-of-drive mechanism
- Quick loading system
- No-mar pad – to protect work surfaces
- Comfort grip
- Incl wrenches and start set of 300 brads of 30 mm



PBS121

Brad
15–30 mm

Staple
12–30 mm

Description	Art. No.	EAN Code	Units
Showcase	5000053	4051661000591	4

Premium quality, highly versatile pneumatic nailer and stapler perfect for high tempo jobs. Designed for demanding DIY users. Use for panelling work, furniture repair, refurbishing and finish and trim jobs.

- Single sequential actuation firing
- Low air consumption < 0,8 l
- 360° adjustable air exhaust – keeps dust away from the work surface
- Strong and durable light weight magnesium body
- Adjustable-depth-of-drive mechanism
- Quick loading system
- No-mar pad to protect work surfaces
- Easy-to-Clear Mechanism – to remove jams fast and easy
- Comfort grip
- Dual magazine for narrow crown staples and brads
- Incl wrenches and start set of 200 staples of 25 mm and 200 brads of 25 mm.

PS111



Staple
6–16 mm

Description	Art. No.	EAN Code	Units
Showcase	5000052	4051661000584	5

Pneumatic stapler ideal for high tempo work with insulation material, plastic sheeting, cardboard packaging and much more.

- Shoot flat wire staples up to 16 mm, ideal for soft insulation
- Contact actuation firing
- 360° adjustable air exhaust keeps dust away from working surfaces.
- Strong and durable light weight magnesium body
- Long nose for precision work
- Low air consumption <0.3 l
- Quick loading system – to reload consumables fast
- No-mar pad – to protect work surfaces
- Incl wrenches and start set of 300 staples of 10 mm

PS101



Staple
6–16 mm

Description	Art. No.	EAN Code	Units
Showcase	5000051	4051661000577	5


Pneumatic stapler ideal for high tempo work with textiles, leather, tapestries, labelling and lighter joinery tasks.

- Shoot fine wire staples up to 16 mm, ideal for all renovation
- Contact actuation firing
- 360° adjustable air exhaust keeps dust away from working surfaces.
- Strong and durable light weight magnesium body
- Long nose for precision work
- Low air consumption <0.3 l
- Quick loading system – to reload consumables fast
- No-mar pad – to protect work surfaces
- Incl wrenches and start set of 300 staples of 10 mm


STAPLE AND NAIL GUIDE

Find the right type of staple and nail – our guide makes it easy to find the model that aligns with your needs.

Printed on every product, you'll find the information you need to match the product with the right staple or nail. On this page you can read how to determine the correct leg length. The tables below contain information on different staple and nail dimensions. The guide on the following three pages shows which staple or nail that goes into which Rapid tool, as well as options for other, non-Rapid brands.




	140	13	53	28	36	7	606	12	53F	958
A mm	10.6	10.6	11.4	6.3	7.7	7.8	6	12.95	11.3	13
B mm	6-16	4-20	4-20	9-11	10-14	12-14	12-30	6-16	6-14	6-12
C mm	1.3	0.7	0.75	1.3	1.3	1.22	1.1	0.95	1.25	0.7




	970	BMN	90	T 8	I 9	T 16	23P	T 32
A mm	12.3	11.2	5.7	2	1	2.8	0.64	3.1
B mm	6-14	6-14	20-40	15-50	15	14-50	15-35	32-64
C mm	1.25	0.75	1.27	1.25	1.25	1.62	0.64	1.8

Choose the correct leg length


The thickness and the type of material are determining the length of the staple or nail to be used:



Standard rule
A staple or nail should be 3 times as long as the material to be fixed. Add another 5 mm on the nail.



Hardwood / hard material
For supporting constructions made from hardwood a staple which is twice as long as the material to fix is sufficient. A nail should be 3 times as long as the material to be fixed.



Fine / thin material foil or fabric
To fix fine and thin material a staple which is 4 mm longer than the material is ideal. A round head nail should be 6 mm longer than the material to be fixed.

COMPATIBILITY CHART

Rapid

Alu610	53	6-10 mm	13	6-10 mm
ALU740/ALU840/ALU940	140	6-14 mm	T8	15 mm
ALU753/ALU853/ALU953	53	6-14 mm	T8	15 mm
ALU913	13	6-14 mm	T8	15 mm
BNX50	T8	20-50 mm		
BTX10	53	4-10 mm		
BTX140	140	6-14 mm	T8	15 mm
BTX530	53	6-14 mm	T8	15 mm
BTX553	53	8-20 mm	T8	15-20 mm
BTX606	606	12-25 mm	T8	15-30 mm
Compacta	53	6-14 mm		
E100	53	6-14 mm	T8	15 mm
E-tac	140	6-14 mm	T8	15 mm
EcoTacker	53	4-8 mm	13	4-8 mm
EN330	T8	15-30 mm		
EN50	T8	15-50 mm		
ESN113	13	6-14 mm	T8	15 mm
ESN114	140	6-14 mm	T8	15 mm
ESN530	53	6-14 mm	T8	15 mm
Hobbytacker	53	4-8 mm		
Hobbytacker Dual	53	6-12 mm	T8	15 mm
Hobbytacker Electric	53	6-14 mm	T8	15 mm
Hobbytacker Multi	53	6-12 mm	T8	8 mm
	7	12-14 mm	9	15 mm
MS2.1	53	6-12 mm	7	12-14 mm
MS4.1	53	6-12 mm	T8	15 mm
	7	12-14 mm	9	15 mm
NUNU 3-in-1	140	6-14 mm	T8	15 mm
	28	10-12 mm		
PB131	T8	15-50 mm		
PB161	T32	32-64 mm		
PBS121	606	12-30 mm	T8	15-30 mm
PBS151	90	20-40 mm	T8	15-50 mm
PMP171	23P	15-35 mm		
PN15-30	T8	15-30 mm		
PN15-50/Pneumatic 18G+	T8	15-50 mm		
PN32-65	T32	32-64 mm		
Pneumatic 18G	T8	15-30 mm		
PS101	53	6-16 mm		
PS111	140	6-16 mm		
PS141	12	6-16 mm		
PSN15-30	606	12-30 mm	T8	15-30 mm
R11	140	6-10 mm		
R13	13	4-10 mm		
R14	140	6-8 mm		
R19	13	4-6 mm		
R23	13	4-8 mm		
R28	28	9-11 mm		
R30	13	4-8 mm		
R33	13	6-14 mm		
R34	140	6-14 mm		
R36	7	10-14 mm	36	10-14 mm
R44	140	6-14 mm		
R53	53	4-10 mm		
R54	140	10-14 mm		
R64	140	6-14 mm	T8	15 mm
R83	13	6-14 mm	T8	15 mm
R153	53	4-8 mm		
R213	13	8-20 mm	T8	15-20 mm
R214	140	8-16 mm		
R253	53	6-14 mm		
R311/R211	140	6-12 mm		
R353	53	6-14 mm		
R453	53	6-14 mm	T8	15 mm
R553	53	8-20 mm	T8	15-20 mm
R606	606	12-25 mm	T8	15-25 mm
RPC4	13	6-16 mm	T8	15 mm
	53	6-16 mm	9	15 mm
RPC7	13	6-14 mm	53	6-14 mm
	140	6-14 mm	7	12-14 mm
	36	12-14 mm	T8	15 mm
	9	15 mm		
RPC140	140	6-16 mm		

AEG

B18N18	T8	15-50 mm		
Powertac 14	BMN	6-14 mm		
Powertac 16	T8	15 mm		
Powertac 18	53	8-18 mm	BMN	8-18 mm
Powertac 19	BMN	8-18 mm	T8	20 mm
	606	12-18 mm		
Powertac 30	606	18-30 mm	T8	15-30 mm

Arrow

JT21M/CM/JT27/ TruTac TT21	53	6-10 mm		
T18	28	9-11 mm		
T25	36	12-14 mm	7	12-14 mm
T2025	53	8-12 mm	7	10-14 mm
T50/HT50P/T55	140	6-14 mm		
HT30/T30/T32	958	6-10 mm		
TacMate/T50X/ TruTac TT50	140	6-12 mm		
TacMate T50elite/ T50 R.E.D.	140	6-14 mm	T8	15-25 mm
WireMate T25X	7	12-14 mm		
HT50i R.E.D/ HT55/HT55BL	140	6-10 mm		
HT50, HTX50	140	8-12 mm		
Powershot 5700/ T50HS/T50PBN	140	6-14 mm	T8	15 mm

Black & Decker

A5751	53	6-8 mm		
A5752	53	6-14 mm		
A5918/BD418/ DN418/KX418E	970	6-14 mm	16	14 mm
A5980	53	6-10 mm		
BDBN202	T8	15-50 mm		
BD428/DN428/KX428E	606	15-30 mm		

BOSCH

HT8/HMT53	53	4-8 mm		
HT14	53	4-14 mm		
HMT57	140	6-10 mm		
PTK14E	BMN	6-14 mm	T8	15 mm
PTK19E	53	8-18 mm	606	12-18 mm
	BMN	8-18 mm	T8	15-20 mm
	9	15 mm		
PTK23E	BMN	12-18 mm	606	12-23 mm
PTK28E	53	12-20 mm	606	12-25 mm
PTK 3,6/ UniversalTacker 18V-14	53	6-14 mm	T8	15 mm
PTK 3,6 Li	53	4-10 mm		

Einhell

TE-CN 18L	90	16-22 mm	T8	15-30 mm
TC-EN 20E/TC-CT 3,6Li	53	6-14 mm		

KWB

HT057	140	6-10 mm		
HT053	53	5-8 mm		

MT10	53	6-10 mm			
MT16N	53	8-16 mm	T8	15 mm	
	9	15 mm			
PT8	53	4-8 mm			
PT10	53	4-10 mm			
PT14	53	6-14 mm	T8	15 mm	
	9	15 mm			
TT14	53	6-14 mm	T8	15 mm	
TT18	53	8-20 mm	T8	15-25 mm	
TT26	606	15-25 mm	T8	15-25 mm	
Tacker14	53	4-14 mm			

LUX

101262	53	6-16 mm	T8	15 mm	
101263	53	8-12 mm	T8	15 mm	
	7	12-14 mm			
101264/195093	53	6-10 mm			
118043/398258	140	6-12 mm			
118046	606	18-25 mm			
118047/398260	606	18-30 mm			
118048	606	18-30 mm	T8	15-30 mm	
195000	53	4-10 mm			
195010/195015/195030/ 195095/101270/101271	53	6-14 mm			
195060/ Tackermatic -Plus 19050	53	6-14 mm	T8	15 mm	
195020/195090/101269/ 198103/Deco-Tacker 196000/Hammertacker Mini 19250	53	4-8 mm			
195040	53	6-14 mm	140	6-14 mm	
	T8	15 mm			
195050/101266	53	4-6 mm			
195055/Hammertacker Maxi 196251	140	6-10 mm			
198101/101272	140	6-14 mm			
Multi-Tacker 196010/ Profi-Tacker 196020	53	6-10 mm	140	8-10 mm	
	T8	15 mm			

Maestri

ECOTAK Mod. 53.14 B	53	6-14 mm	T8	15 mm	
	9	15 mm			
LKT 30/ME30	T8	15-30 mm			
LKT Mod. 13	13	8-14 mm			
LKT Mod. 4/606 COMBI/ ME 606	606	12-25mm	T8	15-25mm	
LKT Mod. 50F	140	6-14mm			
LKT Mod. 53	53	10-20 mm	T8	15-20 mm	
LKT Mod. 80 Brad/ ME80 Brad	12	8-16 mm	T8	15-20 mm	
M 77	28	9-11 mm			
M 88	7	12-14 mm	36	12-14 mm	
MART 13	13	4-6 mm			
MART 50/ROMATAK 10 4.0 Mod. 110/13	140	6-10 mm			
ME50F - 110V	140	6-14 mm			
ROCAMA 10 - Mod. 53 S/A	53	6-10 mm			
ROCAMA 14 4.0 Mod. 114/ ROMATAK 14 4.0 Mod. 114	53	8-14 mm	13	8-14 mm	
	T8	15 mm			
ROCAMA 16 Mod. 13.14	13	6-14 mm			
ROCAMA 16 Mod. 50F	140	6-16 mm			
ROCAMA 16 Mod. 53.16B	53	8-16 mm	T8	15 mm	
	9	15 mm			
ROCAMA 20 Mod. 53/20B	53	10-16 mm			
ROCAMA JR 4.0 Mod. 110/ ROMATAK 10 4.0 Mod. 110	53	6-10 mm	13	6-10 mm	
ROMA 10	53	4-10 mm			
ROMA 14/ ELECTRO 53.14	53	6-14 mm	T8	15 mm	
TECNICA 14 Mod. 53.14	53	8-14 mm	T8	15 mm	

Makita

AF505, DBN500	T8	15-50 mm			

Metabo

TaE 1819/1919/TaA 19	BMN	8-18 mm	606	12-18 mm	
TaE 2019/2020 TaM 3030/3034	T8	20 mm			

Novus

J-01 A / J-01 AS	BMN	6-8 mm			
J-02 AL	BMN	6-14 mm	36	14 mm	
J-08 ABH/J-09 ABH	BMN	4-8 mm	13	4-8 mm	
J-08 XX/J-09 XX	BMN	4-8 mm	13	4-8 mm	
	140	4-6 mm	53F	4-6 mm	
J-11	BMN	4-8 mm			
J-13	BMN	4-10 mm			
J-15/J-25	BMN	4-10 mm	53F	4-10 mm	
J-16 EAD/J-19 EAD/J-29	BMN	6-14 mm	53F	6-14 mm	
	T8	15 mm			
J-16 EADHG/ J-19 EADHG/ J-105 EADHG	BMN	6-14 mm	53F	6-14 mm	
	140	6-14 mm	13	6-14 mm	
	T8	15 mm			
J-17/J-17 DA/J-27/ J-102 DA	BMN	6-14 mm	53F	6-14 mm	
J-18	BMN	6-18 mm	T8	15 mm	
J-19 EHG	13	6-14 mm	T8	15 mm	
J-19S	28	9-11 mm			
J-19L	36	10-14 mm			
J-022	13	4-6 mm			
J-033	140	4-10 mm			
J-044	140	6-12 mm			
J-50/J-150/J-550	BMN	6-14 mm	13	6-14 mm	
	T8	15 mm			
J-51/J-151/J-551	53F	6-14 mm	140	6-14 mm	
	T8	15 mm			
J-055	140	6-14 mm			
J-58 Trig	958	4-14 mm			
J-021 H	13	4-6 mm			
J-031 G, J-032	140	6-10 mm			
J-102 A	BMN	6-14 mm			
J-120/J-214 EA	BMN	6-14 mm	T8	15 mm	
J-145	BMN	8-18 mm			
J-155/J-155 A	BMN	8-18 mmw	53F	8-14 mm	
	606	12-18 mm	T8	20 mm	
J-165 EC	606	15-25 mm	T8	15-25 mm	
J-165 EAD	BMN	8-20 mm	53F	6-14 mm	
	T8	15-20 mm			
J-171/J-172 A	606	18-30 mm	T8	15-30 mm	
J-219 AKKU	BMN	8-18 mm	53F	8-18 mm	
	606	12-18 mm	T8	20 mm	
J-230 AKKU	606	12-18 mm	T8	20 mm	
J-316 A	BMN	6-16 mm			
J-328 EC	606	15-25 mm	T8	15-30 mm	

Prebena

1XR-A16	12	4-16 mm			
2XR-ES40	606	15-40 mm			
2XR-J50	T8	15-50 mm			
DNPF16	140	6-16 mm			
HFPF14	140	9-14 mm			
HFUPF09/HFPF09	140	6-9 mm			
HFVZ10	13	6-10 mm			
HP-J/VX16	53	6-16 mm	T8	15 mm	
HPPF14	140	6-14 mm			
HPVZ08	13	6-8 mm			
HTVX08	53	6-8 mm			

Rapesco / Tacwise

140EL/Z3,Z3L-140	140	6-14 mm	T8	15 mm	
A11	140	6-10 mm			
191EL/191ELS/DUO35	606	15-30 mm	T8	15-35 mm	
181EL	T8	15-35 mm			
53EL	53	6-14 mm	T8	15 mm	

CT45	28	8-10 mm		
CT60	7	12-14 mm	36	10-14 mm
Z1,Z1L-53	53	4-8 mm		
Z1,Z1L-140	140	4-8 mm		
Z1,Z1L-13	13	4-8 mm		
Z2M	53	4-8 mm	13	4-8 mm
Z3,Z3L-13	13	6-14 mm	T8	15 mm
Z3 3in1 - 53L	53	6-8 mm	T8	15 mm
	9	15 mm		
Z3 3in1 - 140L	140	6-8 mm	T8	15 mm
	9	15 mm		
Z3 4in1	53	8-14 mm	T8	15 mm
	7	12-14 mm	9	15 mm
DUO35	606	15-35 mm	T8	15-35 mm
DUO50	606	18-40 mm	T8	20-50 mm
18G/50	T8	20-50 mm		

Rocafix

MS03, MS05	53	4-8 mm		
MS10	53	6-12 mm	958	6-15 mm
MS20	53	6-12 mm	7	12-14 mm
MS30	53	6-12 mm	T8	15 mm
	9	15 mm		
MS40	53	6-12 mm	T8	15 mm
	7	12-14 mm	9	15 mm
MS100-MS110	53	4-10 mm	13	4-8 mm
MS500/ES130	140	6-14 mm	T8	15 mm
MS500B/ES230	53	6-14 mm	T8	15 mm
MS655/MS675	7	12-14 mm		
EN330	T8	15-30 mm		
PSN20-50	T16	20-50 mm		

Ryobi

R18ST50	140	6-14 mm		
R18GS18	606	12-30 mm		
RST4	53	6-10 mm	140	6-14 mm
	36	10-14 mm	T8	15 mm
R18GN18	T8	15-50 mm		

Stanley

CT10X/ FATMAX® Cable Tacker	7	10-14 mm		
ST10/TR40/TR45/ 2in1 Multi-Tacker	53	6-10 mm		
ST14/FATMAX® 2in1 Multi-Tacker/TRE540	53	6-14 mm	T8	15 mm
FATMAX® 4in1 Multi-Tacker	53	6-14 mm	140	6-14 mm
	7	10-14 mm	T8	15 mm
FATMAX® 5in1 Electric	53	6-14 mm	140	6-14 mm
	7	10-14 mm	T8	15 mm
	9	15 mm		
TR100/HT150C/R150HL/ TR110/STHT70150	140	6-14 mm		
TR120	53	4-10 mm	13	4-10 mm
TR150L	53	6-14 mm		
TR200/TRE500/TR350 FATMAX/TRE550/ STHT70150/TR250	140	6-14 mm	T8	15 mm
HT FATMAX PRO	140	8-10 mm		
APC 2in1	90	15-35 mm	T8	15-50 mm
	140	6-14 mm	53	6-14 mm
TR75 FATMAX	13	6-8 mm	T8	15 mm
	7	12-14 mm	9	15 mm
TR400 FATMAX	53	4-14 mm	T8	15 mm
	7	12-14 mm	9	15 mm
TR55	53	4-14 mm		
TRE650	T8	15-30 mm		
PHT150/HT150C	140	6-10 mm		
FATMAX® ANTIVIBE HAMERTACKER	140	8-12 mm		

Wolfcraft

Tacocraft P4/HT8	53	6-8 mm		
Tacocraft 5	53	4-8 mm		
Tacocraft 7	53	4-14 mm		
Tacocraft P10/M10	53	4-10 mm		
Tacocraft P14+/M14+	53	6-14 mm	T8	15 mm
7160/7162	606	18-30 mm		
7165	606	15-23 mm		
HT 10	140	4-10 mm		
ET 26+	606	15-25 mm	T8	15-25 mm
ET 20	53	8-20 mm		15-20 mm

To find more brands and tools, check out our digital staple guide.



STAPLES AND NAILS

One of the most important aspects of meeting customer demands is being able to offer perfect fastening tools. Another equally crucial element is being able to supply the right type of staples or nails for the job. At Rapid we are experts at both, and we also understand the importance of staple or nail quality.

Our product range is the widest on the market and in order to achieve the best possible end results, we always recommend using Rapid original staples and nails. Using the wrong sized staple or inferior quality staples can cause the tool to jam and malfunction.

FLATWIRE FOR HEAVY DUTY AND CONSTRUCTION

These quality flatwire, galvanized staples feature a larger holding area against the surface material making them ideal for working with insulation material and thin plastics as well as thin cardboard and carpets. Precision cut legs optimise material penetration. Also available in stainless steel.

140/Large box

Description	Specification	Pcs	Art. No.	EAN Code	Units
140/6 mm	Galvanized	5000	40303088	7313463030884	5
140/8 mm	Galvanized	5000	40303089	7313463030891	5
140/10 mm	Galvanized	5000	40303090	7313463030907	5
140/12 mm	Galvanized	5000	40303091	7313463030914	5
140/14 mm	Galvanized	5000	40303092	7313463030921	5
140/16 mm	Galvanized	2000	5000091	4051661001703	5



140/Box

Description	Specification	Pcs	Art. No.	EAN Code	Units
140/6 mm	Galvanized	970	40109513	3221631095136	5
140/8 mm	Galvanized	970	40109514	3221631095143	5
140/10 mm	Galvanized	650	40109515	3221631095150	5
140/12 mm	Galvanized	650	40109516	3221631095167	5
140/14 mm	Galvanized	650	40109517	3221631095174	5
140/16 mm	Galvanized	650	5001749	4051661045455	5
140/10 mm	Stainless Steel	650	40109575	3221631095754	5
140/14 mm	Galvanized; Divergent points	650	40109576	3221631095761	5



140/Large box PRO

Description	Specification	Pcs	Art. No.	EAN Code	Units
140/6 mm	Galvanized	5000	11905711	7313469140068	20
140/8 mm	Galvanized	5000	11908111	7313469140075	20
140/10 mm	Galvanized	5000	11910711	7313469140082	20
140/12 mm	Galvanized	5000	11912311	7313469140099	15
140/14 mm	Galvanized	5000	11915611	7313469140105	15



140/Box PRO

Description	Specification	Pcs	Art. No.	EAN Code	Units
140/6 mm	Galvanized	2000	11905731	7313469140013	10
140/8 mm	Galvanized	2000	11908131	7313469140020	10
140/10 mm	Galvanized	2000	11910731	7313469140037	10
140/12 mm	Galvanized	2000	11912331	7313469140044	10
140/14 mm	Galvanized	2000	11915631	7313469140051	10
140/8 mm	Stainless steel	2000	5001772	4051661046001	5
140/10 mm	Stainless steel	2000	11910733	7313469140112	5



FINEWIRE FOR LIGHT DUTY AND DECORATION

These quality finewire staples are ideal for working with textiles. Featuring a discreet, low visibility design and created to have a minimal effect on textile fibres, they are also a great solution when labelling. Made from high performance, galvanized wire, their legs are precision cut for optimal penetration.

13/Large box

Description	Specification	Pcs	Art. No.	EAN Code	Units
13/6 mm	Galvanized	5000	40303079	7313463030792	5
13/8 mm	Galvanized	5000	40303080	7313463030808	5
13/10 mm	Galvanized	5000	40303081	7313463030815	5
13/14 mm	Galvanized	5000	40303082	7313463030822	5



13/Box

Description	Specification	Pcs	Art. No.	EAN Code	Units
13/4 mm	Galvanized	1600	40109518	3221631095181	5
13/6 mm	Galvanized	1600	40109519	3221631095198	5
13/8 mm	Galvanized	1600	40109520	3221631095204	5
13/10 mm	Galvanized	1100	40109521	3221631095211	5



13/Large box PRO

Description	Specification	Pcs	Art. No.	EAN Code	Units
13/4 mm	Galvanized	5000	11825700	7313469013010	50
13/6 mm	Galvanized	5000	11830700	7313469013034	50
13/8 mm	Galvanized	5000	11835600	7313469013065	40
13/10 mm	Galvanized	5000	11840600	7313469013089	35
13/14 mm	Galvanized	5000	11850500	7313469013102	25



13/Box PRO

Description	Specification	Pcs	Art. No.	EAN Code	Units
13/4 mm	Galvanized	2500	11825725	7313469013027	10
13/6 mm	Galvanized	2500	11830725	7313469013041	10
13/8 mm	Galvanized	2500	11835625	7313469013072	10
13/10 mm	Galvanized	2500	11840625	7313469013096	10
13/14 mm	Galvanized	2500	11850525	7313469013119	10
13/6 mm	Stainless Steel	2500	11830726	7313469013058	5
13/8 mm	Stainless Steel	2500	11835626	7313469013126	5



53/Large box

Description	Specification	Pcs	Art. No.	EAN Code	Units
53/6 mm	Galvanized	5000	40303083	7313463030839	5
53/8 mm	Galvanized	5000	40303084	7313463030846	5
53/10 mm	Galvanized	5000	40303085	7313463030853	5
53/12 mm	Galvanized	5000	40303086	7313463030860	5
53/14 mm	Galvanized	5000	40303087	7313463030877	5
53/16 mm	Galvanized	2400	5000202	4051661007989	5



53/Box

Description	Specification	Pcs	Art. No.	EAN Code	Units
53/4 mm	Galvanized	1600	40109501	3221631095013	5
53/6 mm	Galvanized	1080	40109502	3221631095020	5
53/8 mm	Galvanized	1080	40109503	3221631095037	5
53/10 mm	Galvanized	1080	40109504	3221631095044	5
53/12 mm	Galvanized	1080	40109505	3221631095051	5
53/14 mm	Galvanized	1080	40109506	3221631095068	5
53/16 mm	Galvanized	540	5001748	4051661045448	5
53/20 mm	Galvanized	540	40109508	3221631095082	5
53/6 mm	Stainless steel	1080	40109509	3221631095099	5
53/8 mm	Stainless steel	1080	40109510	3221631095105	5
53/10 mm	Stainless steel	1080	40109511	3221631095112	5
53/12 mm	Stainless steel	1080	40109512	3221631095129	5
53/6mm	Galvanized	2130	5000741	4051661023095	5
53/8mm	Galvanized	2130	5000742	4051661023132	5
53/10mm	Galvanized	2130	5000743	4051661023170	5



53/Large box PRO

Description	Specification	Pcs	Art. No.	EAN Code	Units
53/4 mm	Galvanized	5000	23808700	7313468087005	50
53/6 mm	Galvanized	5000	11856250	7313468562502	50
53/8 mm	Galvanized	5000	11857050	7313468570507	35
53/10 mm	Galvanized	5000	11858810	7313468585105	35
53/12 mm	Galvanized	5000	11859610	7313468596101	30
53/14 mm	Galvanized	5000	11860410	7313468604103	25



53/Box PRO

Description	Specification	Pcs	Art. No.	EAN Code	Units
53/6 mm	Galvanized	2500	11856225	7313469053016	10
53/8 mm	Galvanized	2500	11857025	7313469053023	10
53/10 mm	Galvanized	2500	11858825	7313469053054	10
53/12 mm	Galvanized	2500	11859625	7313469053061	5
53/14 mm	Galvanized	2500	11860425	7313469053078	10
53/8 mm	Stainless steel	2500	23808000	7313468080006	10





FOR LOW VOLTAGE CABLES

With their rounded crown, these flatwire staples are specifically designed for fastening low voltage cables up to 50 V such as computer, hi-fi speaker or telephone cables. Diverging points, DP, makes leg points go in opposite directions, for extra strong bonding.

28/Box PRO

Ø 4,5 mm

28

Description	Specification	Pcs	Art. No.	EAN Code	Units
28/9 mm	Galvanized	5x1000	11890131	7313468901318	25
28/10 mm	Galvanized	5x1000	11893510	7313468935108	20
28/11 mm	Galvanized	5x1000	11891933	7313468919337	20
28/10 mm	White	5x1000	11893511	7313468935115	20
28/11 mm	White	5x1000	11891931	7313468919313	20



36/Box PRO

Ø 6 mm

36

Description	Specification	Pcs	Art. No.	EAN Code	Units
36/10 mm	Superstrong - Galvanized	5x1000	5000774	4051661023552	20
36/12 mm	Superstrong - Galvanized	5x1000	5000511	4051661017360	20
36/14 mm	Superstrong - Galvanized	5x1000	5000512	4051661017377	15
36/10 mm	Galvanized	5x1000	11884410	7313468844103	20
36/12 mm	Galvanized	5x1000	11885110	7313468851101	20
36/14 mm	Galvanized	5x1000	11886910	7313468869106	15
36/14 mm	White	5x1000	11886911	7313468869113	15



36/Box

Ø 6 mm

36

Description	Specification	Pcs	Art. No.	EAN Code	Units
36/12 mm	Galvanized	864	40109626	3221631096263	5
36/14 mm	Galvanized	864	40109627	3221631096270	5



7/Box

Ø 6 mm

7

Description	Specification	Pcs	Art. No.	EAN Code	Units
7/12 mm	Galvanized	960	40109523	3221631095235	5
7/14 mm	Galvanized	960	40109524	3221631095242	5



NARROW CROWN

An effective solution when fixing through tough materials or where long depth is required, these precision cut, narrow crown staples are made from high performance, galvanized steel and work like a double brad. Resin coated to increase their resistance to removal, these are ideal for heavy duty fixing, flooring, wood panelling, wall boards, frames, partitioning. Resin coating gives them optimal fixing characteristics in wood.

606/Large box

Description	Specification	Pcs	Art. No.	EAN Code	Units
606/12 mm	Galvanized; Resin coated	3600	40303093	7313463030938	5
606/18 mm	Galvanized; Resin coated	3600	40303094	7313463030945	5
606/25 mm	Galvanized; Resin coated	3600	40303095	7313463030952	5
606/30 mm	Galvanized; Resin coated	3600	40303096	7313463030969	5



606/Box


Description	Specification	Pcs	Art. No.	EAN Code	Units
606/12 mm	Galvanized; Resin coated	1200	40109527	3221631095273	5
606/15 mm	Galvanized; Resin coated	1200	40109528	3221631095280	5
606/18 mm	Galvanized; Resin coated	600	40109529	3221631095297	5
606/23 mm	Galvanized; Resin coated	600	40109530	3221631095303	5
606/25 mm	Galvanized; Resin coated	600	40109531	3221631095310	5
606/30 mm	Galvanized; Resin coated	600	40109532	3221631095327	5



606/Box PRO

Description	Specification	Pcs	Art. No.	EAN Code	Units
606/18 mm	Galvanized; Resin coated	4000	11897602	7313468976026	6
606/25 mm	Galvanized; Resin coated	4000	11737302	7313467373024	6
606/30 mm	Galvanized; Resin coated	4000	466301040	4004073000574	6





SERVICE ASSORTMENT

Rapid is proud to be a full-service staple supplier. We offer a comprehensive range of staples designed to fit all other major brands on the market, using high quality steel and superior manufacturing processes. By offering this assortment, retailers can more readily offer customer satisfaction by being able to meet varying demands and the customers can always find a total fastening solution even if they are not using a Rapid tool.

12/Box PRO

Description	Specification	Pcs	Art. No.	EAN Code	Units
12/6 mm	Galvanized	5000	40100517	3221631005173	30
12/8 mm	Galvanized	5000	40100518	3221631005180	24
12/10 mm	Galvanized	5000	40100519	3221631005197	20
12/12 mm	Galvanized	5000	40100520	3221631005203	20
12/14 mm	Galvanized	5000	40100521	3221631005210	15
12/16 mm	Galvanized	5000	40100522	3221631005227	16



- Quality, flatwire, galvanized staples.
- Ideal solution for working with tapestry, padding and upholstery.

53F/Box

Description	Specification	Pcs	Art. No.	EAN Code	Units
53F/6 mm	Galvanized	970	5000555	4051661018688	5
53F/8 mm	Galvanized	970	5000556	4051661018695	5
53F/10 mm	Galvanized	648	5000557	4051661018701	5
53F/14 mm	Galvanized	648	5000558	4051661018718	5



- Galvanized finewire staples.
- Specifically designed for use with Novus products.

958/Box

Description	Specification	Pcs	Art. No.	EAN Code	Units
958/8 mm	Galvanized	2000	40109542	3221631095426	5
958/10 mm	Galvanized	1600	40109543	3221631095433	5



- Galvanized finewire staples.
- Specifically designed for use with Esco and Novus products.

970/Box

Description	Specification	Pcs	Art. No.	EAN Code	Units
970/6 mm	Galvanized	1344	40109549	3221631095495	5
970/8 mm	Galvanized	1120	40109550	3221631095501	5
970/10 mm	Galvanized	896	40109551	3221631095518	5
970/12 mm	Galvanized	672	40109552	3221631095525	5
970/14 mm	Galvanized	672	40109553	3221631095532	5
970/14 mm	Galvanized; Divergent points	672	40109599	3221631095990	5



- Galvanized flatwire staples.
- Specifically designed for use with Black & Decker products.

BMN/Box

Description	Specification	Pcs	Art. No.	EAN Code	Units
BMN/6 mm	Galvanized	1080	40109555	3221631095556	5
BMN/8 mm	Galvanized	1080	40109556	3221631095563	5
BMN/10 mm	Galvanized	1080	40109557	3221631095570	5
BMN/14 mm	Galvanized	1080	40109559	3221631095594	5




- Galvanized finewire staples.
- Specifically designed for use with Bosch, Metabo and Novus products.

90/Large box

Description	Specification	Pcs	Art. No.	EAN Code	Units
90/20 mm	Galvanized; Resin coated	3000	5000123	4051661002441	5
90/25 mm	Galvanized; Resin coated	3000	5000124	4051661002458	5
90/30 mm	Galvanized; Resin coated	3000	5000125	4051661002465	5
90/35 mm	Galvanized; Resin coated	1500	5000126	4051661002472	5
90/40 mm	Galvanized; Resin coated	1500	5000127	4051661002489	5



- High performance, galvanized narrow crown staples.
- Specifically designed for use with Rapid pneumatic stapler PBS151.



BRADS AND PINS

Versatile and high quality, these high performance, galvanized brads are ideal for many different kind of finishing application such as carpentry and framing as well as wood panelling. Precision cut legs optimise material penetration. Also available in stainless steel.

8/Large box

Description	Specification	Pcs	Art. No.	EAN Code	Units
8/15 mm	Galvanized	5700	5000520	4051661017636	5
8/25 mm	Galvanized	5600	5000183	4051661007422	5
8/30 mm	Galvanized	4200	5000184	4051661007439	5
8/40 mm	Galvanized	2800	5000185	4051661007446	5
8/50 mm	Galvanized	2800	5000186	4051661007453	5



8/Box

Description	Specification	Pcs	Art. No.	EAN Code	Units
8/15 mm	Galvanized	1000	40109533	3221631095334	5
8/20 mm	Galvanized	750	40109534	3221631095341	5
8/25 mm	Galvanized	1000	40109535	3221631095358	5
8/30 mm	Galvanized	1000	40109536	3221631095365	5



8/Large box PRO

Description	Specification	Pcs	Art. No.	EAN Code	Units
8/15 mm	Galvanized	5000	40100532	3221631005326	20
8/20 mm	Galvanized	5000	40100533	3221631005333	12
8/25 mm	Galvanized	5000	40014272	3221630142725	12
8/30 mm	Galvanized	5000	40014273	3221630142732	12
8/35 mm	Galvanized	5000	40100534	3221631005340	10
8/40 mm	Galvanized	5000	40100535	3221631005357	6
8/45 mm	Galvanized	5000	40100536	3221631005364	6
8/50 mm	Galvanized	5000	40100537	3221631005371	6



8/2M Box PRO



Description	Specification	Pcs	Art. No.	EAN Code	Units
8/15 mm	Galvanized	2000	5000811	4051661024122	10

8/1M Box PRO



Description	Specification	Pcs	Art. No.	EAN Code	Units
8/30 mm	Stainless steel	1000	40303066	7313463030662	36
8/50 mm	Stainless steel	1000	40303067	7313463030679	36

9/Box



Description	Specification	Pcs	Art. No.	EAN Code	Units
9/15 mm	Galvanized	1000	40109538	3221631095389	5

- These brads have no head, making them almost invisible when applied.
- Made from precision cut, high performance, galvanized steel.
- The perfect solution for carpentry, base boards and lighter furniture work.
- Precision cut legs optimise material penetration.

16/Box



Description	Specification	Pcs	Art. No.	EAN Code	Units
16/14 mm	Galvanized	990	40109554	3221631095549	5

- Heavy duty galvanized brads.
- Ideal for tough carpentry work and working with wood panelling, door framing and carpentry.
- Precision cut legs optimise material penetration.
- Specifically designed for use with Black & Decker tools.

23P/Box PRO

Description	Specification	Pcs	Art. No.	EAN Code	Units
23P/15 mm	Galvanized	10000	5001358	4051661031618	10
23P/20 mm	Galvanized	10000	5001359	4051661031625	10
23P/25 mm	Galvanized	10000	5001360	4051661031632	10
23P/30 mm	Galvanized	10000	5001361	4051661031649	10
23P/35 mm	Galvanized	10000	5001362	4051661031656	10



- Professionnal quality 23 Ga micro pins.
- Designed for invisible work.
- Made from precision cut, extra-thin galvanized steel.
- Ideal for finishing applications requiring extreme precision like thin mouldings, windows and door framing, light furniture, baseboards and decorative trim.

32/Box PRO

Description	Specification	Pcs	Art. No.	EAN Code	Units
32/32 mm 34°	Galvanized; Resin coated	1000	40104405	3221631044059	20
32/38 mm 34°	Galvanized; Resin coated	1000	40104406	3221631044066	20
32/50 mm 34°	Galvanized; Resin coated	1000	40104408	3221631044080	15
32/64 mm 34°	Galvanized; Resin coated	1000	40104410	3221631044103	10



- Precision cut, high performance brads with 34° angled strips and a D head.
- Ideal for special, high finish applications such as carpentry and door framing.
- Long life wire is specifically designed for outdoor use or humid, damp conditions.
- Precision chisel cut legs optimise material penetration.


Suitable for:

Repairs

Installation

Arts

Crafts



GLUING



A good glue gun can be the difference between a job well done and less impressive results. For example, a Rapid glue gun doesn't drip and will never clog up with old glue residue. Areas of use are many, and by switching between different kinds of glue sticks you can use the same glue gun to bond a wide variety of materials.

Our glue guns heat up quickly, minimising the need to wait before getting to work and represent one of the market's strongest line of glue guns for any kind of assignment or application. Ergonomically designed, easy to use and available in electrical, rechargeable or battery-powered versions.

PRO



EG360

Glue output
Up to 1800 g/h

Glue
Ø12 mm

Professional, industrial standard glue gun equipped with a high performance 300 W cartridge heater system. Designed for precision application and high-frequency usage.

- 1800 g/h glue output
- Power 300 W
- Heating time: 1 min at 130 °C, 3 min at 210 °C
- Adjustable temperature 120-230 °C
- Temperature settings: 120 °C, 145 °C, 170 °C, 195 °C and 230 °C
- Standard nozzle Ø3.5 mm, exchangeable
- 4 finger trigger for high comfort of use
- 2.5 m rubber cord
- Supplied with a fixed and a mobile stand
- Work with both EVA & Polyamide glue

Description	Art. No.	EAN Code	Units
Box PRO	5000328	4051661011689	5

PRO



EG340

Glue output
Up to 1400 g/h

Glue
Ø12 mm

Professional, industrial performance glue gun with a glue output of 1400 g/h. Designed for high frequency, demanding usage and precision application.

- 1400 g/h glue output
- Power 220 W
- Heating time: 1 min at 130 °C, 3 min at 210 °C
- Adjustable temperature 120-220 °C
- Temperature settings: 120 °C, 145 °C, 170 °C, 195 °C, 220 °C
- Works with both EVA and polyamide glue
- Standard nozzle Ø3.0 mm, exchangeable
- Ergonomic 4-finger handle
- 2.5 m cord
- Supplied with a fixed and mobile stand

Description	Art. No.	EAN Code	Units
Box PRO	5000327	4051661011672	5
Box - UK plug	5000639	4051661020605	5
Box - CH plug	5000565	4051661019043	5

PRO



EG320

Glue output
Up to 1000 g/h

Glue
Ø12 mm

Professional, multi-purpose glue gun characterised by its compact size and light weight. Comfortable to operate, well balanced and designed for precision working even when working intensively.

- 1000 g/h glue output
- Power 180 W
- 4 min heating time
- Temperature setting: 195 °C self-regulated
- Works with both EVA and polyamide glue
- Standard nozzle Ø3.0 mm, exchangeable
- Ergonomic 4-finger handle
- 1.75 m cord
- Supplied with a fixed and a mobile stand

Description	Art. No.	EAN Code	Units
Box PRO	5000326	4051661011665	5
Box - UK plug	5000714	4051661022562	5
Showcase incl 24 glue sticks	5001480	4051661036934	5

BGX500



Glue output
Up to 900 g/h

Glue
Ø12 mm

Cordless glue gun powered by the Power For All Alliance battery system. Comes with adjustable glue flow, quick 3-minute warm-up, and exchangeable nozzles for precision work. Ideal for decorating, fastening cables, or DIY projects.

- Runs with the POWER FOR ALL ALLIANCE 18V battery
- 900 g/h glue output
- 3 min heating time
- Up to 2.5 hours runtime with a 2.5 Ah battery
- Unique glue flow adjuster
- Soft-grip trigger and handle
- Exchangeable nozzle

*incl battery (2.5 Ah), charger and 4 glue sticks

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001517	4051661037788	5
Showcase*	5001514	4051661037757	5
Showcase* - UK Plug	5001515	4051661037764	5

EG280



Glue output
Up to 600 g/h

Glue
Ø12 mm

High performance glue gun for demanding DIY users. Ideal for a wide variety of tasks around the house. High yet smooth glue output of 600 g/h giving better finished results.

- 600 g/h glue output
- 3 min heating time
- Soft-grip trigger and handle
- Soft grip top cover for heating protection
- Exchangeable nozzle
- Fixed stand for full stability

Description	Art. No.	EAN Code	Units
Box	5001708	4051661041181	5

BGX300



Fix & Repair

Ø12

Glue
Ø12 mm

Enjoy freedom and working versatility with this cordless Lithium-Ion powered glue gun. Designed for precision operation around the house.

- Up to 60 minutes cordless operation before recharging is required
- Patented technology
- Lithium Ion battery powered
- 3 to 6 min heating time
- Read-to-use indicator light
- Ergonomic soft-grip and smooth action trigger
- Adjustable stand

Description	Art. No.	EAN Code	Units
Case incl 6 glue sticks	40303135	7313463031355	3
A300 Battery for BGX300	40303077	3221633030777	20

CG270



Fix & Repair

Ø12

Glue
Ø12 mm

The ideal glue gun for a wide variety of jobs indoors and outdoors. Great user comfort thanks to its cordless operation and soft grip handle and trigger – this means you work more efficiently and more comfortably.

- 350 g/h glue output
- Removable cord, 7min continuous work when unplugged
- Soft-grip trigger and handle
- Exchangeable nozzle
- Adjustable stand

Description	Art. No.	EAN Code	Units
Box	5001707	4051661041174	5
Box - AU/NZ plug	5001760	4051661045868	5
Showcase incl 10 glue sticks	5001445	4051661035715	5

EG212



Fix & Repair

Ø12

Glue
Ø12 mm

For quick, effortless decoration and repair tasks around the house, this smart, great value, ergonomically designed glue gun is the perfect solution.

- 250 g/h glue output
- 3-6 min heating time
- Soft grip trigger for high comfort
- Adjustable stand

Description	Art. No.	EAN Code	Units
Box	5001706	4051661041167	5
Box - UK	5001714	4051661041242	5
Box incl 24 glue sticks	5001709	4051661041198	5

EG111



Fix & Repair

Ø12

Glue
Ø12 mm

Starter kit including 500 g multi-purpose glue. Ideal for quick repair and fixing around the home.

- 200 g/h glue output
- 10 min heating time
- Adjustable stand
- Incl 500 g multi-purpose glue sticks

Description	Art. No.	EAN Code	Units
Box incl 26 glue sticks (500g)	5001710	4051661041204	5

BGX7



Glue
Ø7 mm

Cordless glue gun, ideal for arts and crafts as well as small fixes repairs. It works effectively for 30 minutes without recharging and heats up in just 20 seconds. Powered by a 3.6 V battery, recharged through its handy micro-USB port.

- For 7 mm glue sticks
- 150 g/hour glue output
- Works up to 30 minutes without recharging
- Heats in just 20 seconds
- Ready-to-use indicator light
- Automatic turn-off feature
- Charged with micro-USB (included)
- 2,5 h charging time
- Adjustable stand

Description	Art. No.	EAN Code	Units
Box	5001703	4051661041136	5

EG Point



Glue
Ø7 mm

Reliable, great value and versatile thanks to cordless operation. Nozzle is ideal for precision work.

- 80 g/h glue output
- 5 min heating time
- Cordless operation enables great flexibility
- For small and precise work
- Integrated stand

Description	Art. No.	EAN Code	Units
Box	5001702	4051661041129	5
Box - UK plug	5001711	4051661041211	5
Box - AU/NZ plug	5001759	4051661045837	5

EG PEN



Glue
Ø7 mm

Pen-shaped glue gun with a grip and a long trigger for smooth, precise gluing and high control when working on tricky or detailed parts. It heats up in just 60 seconds and is supplied with a stable stand.

- Heats in just 60 seconds
- Pen shape for high precision
- Power-on indicator light
- 2 m long cord
- Practical stand with silicon drip tray included

Description	Art. No.	EAN Code	Units
Box	5001704	4051661041143	5
Box - UK plug	5001712	4051661041228	5

Sensitive MATERIALS

EG130



Glue
Oval

Handy, low temperature (130 °C) glue gun designed for home and school use. Ideal for working with sensitive materials.

- 80 g/h glue output
- 5 min heating time
- Low temperature 130 °C for sensitive materials
- Integrated stand

Description	Art. No.	EAN Code	Units
Box	5001705	4051661041150	5
Box - UK plug	5001713	4051661041235	5

ACCESSORIES



SPRING CLAMPS

Description	Art. No.	EAN Code	Units
Box	5001716	4051661041266	5

5-piece set of mini spring clamps designed to hold parts firmly in place while gluing or fixing.

- Grip width up to 35 mm
- Set of 5 pcs
- Adjustable grip surface for a firm grip
- Small but still very strong
- Soft grip handles



BAR CLAMPS

Description	Art. No.	EAN Code	Units
Box	5001717	4051661041273	5

3-piece set of mini one-handed bar clamps for clamping up to 100 mm in jobs around the home or arts and crafts projects.

- Clamping width up to 100 mm
- Set of 3 pcs
- Quick to apply and release
- Easily change to reverse clamping system
- Soft grip handles



SILICONE PAD

Description	Art. No.	EAN Code	Units
Box	5001715	4051661041259	5

20 cm x 20 cm non-stick silicone pad to protect the work surface from dripping glue.

- 200 x 200 mm
- Easy to clean and store
- Made of high quality silicone

INSTALLATION
These 12 mm glue sticks deliver quality bonding thanks to high resin levels and are perfect for a wide range of installation applications. For perfect bonding use speciality glue dedicated to a specific materials such as wood, textile/leather, ceramics or PVC/cables. Also available as transparent and white universal glue for all kind of bonding. Comes in master packs of 48 pcs long glue sticks ideal for installation and working on large surfaces requiring high amount of glue.

Wood

Glue
Ø12 mm



Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	48	880 g	5001421	4051661034343	4

- For wood, paper, cardboard and derivatives
- 12 mm glue sticks
- Colour: Yellowish
- Masterpack with 48 pcs of long sticks

Textile & Leather

Glue
Ø12 mm



Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	48	900 g	5001419	4051661034329	4

- For textiles, fabrics, leather and other fibrous materials
- 12 mm glue sticks
- Colour: Yellowish
- Masterpack with 48 pcs of long sticks

PVC & Cable

Glue
Ø12 mm



Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	48	880 g	5001413	4051661034268	4

- For PVC, cables and numerous plastics
- 12 mm glue sticks
- Colour: Transparent
- Masterpack with 48 pcs of long sticks

Ceramics

Glue
Ø12 mm



Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	48	880 g	5001415	4051661034282	4

- For ceramics, tiles, faience, porcelain and other porous materials
- 12 mm glue sticks
- Colour: White
- Masterpack with 48 pcs of long sticks

Universal

Glue
Ø12 mm

Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	48	880 g	5001411	4051661034244	4



- For a wide range of applications where a transparent glue is suitable
- 12 mm glue sticks
- Colour: Transparent
- Masterpack with 48 pcs of long sticks

Universal White

Glue
Ø12 mm

Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	48	900 g	5001412	4051661034251	4



- For a wide range of applications where a white glue is suitable
- 12 mm glue sticks
- Colour: White
- Masterpack with 48 pcs of long sticks

Fix & Repair™

FIX AND REPAIR
These 12 mm glue sticks deliver quality bonding thanks to high resin levels and are perfect for a wide range of fix and repair jobs at home. For perfect bonding use speciality glue dedicated to a specific material such as wood, textile/leather, ceramics or PVC/cables. Available also as transparent, white and black universal glue for all kind of bonding. Comes in short sticks to quickly switch from one type of glue to another, and long sticks to cover wider surfaces quickly, reducing the time spent to refill.

Wood

Glue
Ø12 mm

Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	14	250 g	5001420	4051661034336	10
Ø12 x 94 mm	14	125 g	40107360	3221631073608	10



- For wood, paper, cardboard and derivatives
- 12 mm glue sticks
- Colour: Yellowish
- Available in short and long sticks

Textile & Leather

Glue
Ø12 mm

Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	14	250 g	5001418	4051661034312	10
Ø12 x 94 mm	14	125 g	5001416	4051661034299	10



- For textiles, fabrics, leather and other fibrous materials
- 12 mm glue sticks
- Colour: Yellowish
- Available in short and long sticks

PVC & Cable

Glue
Ø12 mm

Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	14	250 g	40107363	3221631073639	10
Ø12 x 94 mm	14	125 g	40107358	3221631073585	10



- For PVC, cables and numerous plastics
- 12 mm glue sticks
- Colour: Transparent
- Available in short and long sticks

Ceramics

Glue
Ø12 mm

Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	14	250 g	5001414	4051661034275	10
Ø12 x 94 mm	14	125 g	40107359	3221631073592	10



- For ceramics, tiles, faience, porcelain and other porous materials
- 12 mm glue sticks
- Colour: White
- Available in short and long sticks

Universal Transparent

Glue
Ø12 mm

Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	14	250 g	40107362	3221631073622	10
Ø12 x 94 mm	14	125 g	40107356	3221631073561	10



- For a wide range of applications where a transparent glue is suitable
- 12 mm glue sticks
- Colour: Transparent
- Available in short and long sticks

Universal White

Glue
Ø12 mm

Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	14	250 g	40107361	3221631073615	10
Ø12 x 94 mm	14	125 g	40107355	3221631073554	10



- For a wide range of applications where a white glue is suitable
- 12 mm glue sticks
- Colour: White
- Available in short and long sticks

Universal Black

Glue
Ø12 mm

Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	14	250 g	5000211	4051661008276	10



- For a wide range of applications where a black glue is suitable
- 12 mm glue sticks
- Colour: Black

ARTS AND CRAFTS
These glue sticks are the perfect solution for arts and crafts projects and other tasks that require a lighter and decorative touch but still quality fastening. The 7 mm glue sticks are ideal for small and precise types of jobs as they keep perfect control of glue. Available as universal glue as well as different colours and glitter colours. The oval glue sticks are designed for working with heat sensitive materials at low temperature, available as universal glue and in glitter coloured form.

Glitter

Glue
Ø7 mm

Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø7x90 mm W/P/B	36	115 g	5001422	4051661034350	10
Ø7x90 mm G/R/B	36	115 g	5001424	4051661034374	10



- Perfect for a wide range of decorative arts and crafts applications
- 7 mm glue sticks
- Short sticks to easily move from one colour to another
- Colours: White, pink and black glitter
- Colours: Green, red and blue glitter

Decoration

Glue
Ø7 mm

Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø7x90 mm W/C/LB/DB/B	36	115 g	5001363	4051661031755	10
Ø7x90 mm C/Y/LG/DG/NB	36	115 g	5001426	4051661034398	10



- Perfect for a wide range of decorative arts and crafts applications
- 7 mm glue sticks
- Short sticks to easily move from one colour to another
- Colours: White, cerise, light blue, dark blue and black
- Colours: Cerise, yellow, light green, dark green, navy blue

Universal

Glue
Ø7 mm

Dimension	Pcs.	Content	Art. No.	EAN Code	Units
Ø7 x 90 mm	36	115 g	40107350	3221631073509	10



- Perfect for a wide range of arts and crafts applications and smaller repairs
- 7 mm glue sticks
- Short sticks to easily move from one type of glue to another
- Colours: Transparent

Glitter

Glue
Oval

Dimension	Pcs	Content	Art. No.	EAN Code	Units
Oval x 94 mm G/R/B	16	125 g	40108462	3221631084628	10
Oval x 94 mm S/G	16	125 g	40108463	3221631084635	10



- Perfect for work with heat sensitive materials
- Oval glue sticks
- Short sticks to easily move from one type of glue to another
- Colours: Green, red and blue glitter
- Colours: Silver and gold glitter

Universal

Glue
Oval

Dimension	Pcs	Content	Art. No.	EAN Code	Units
Oval x 94 mm	16	125 g	40107349	3221631073493	10



- Perfect for work with heat sensitive materials
- Oval glue sticks
- Short sticks to easily move from one type of glue to another
- Colour: Transparent

TECHNICAL GLUE

These 12 mm glue sticks deliver quality bonding thanks to high resin levels and are perfect for a wide range of professional applications. Available in practical 1 kg, 2.5 kg or 10 kg packs ideal for Pro or Industrial users.



Assembly

Glue
Ø12 mm

PRO

- For a wide range of professional assembly applications on wood, packaging, leather, cork or textile
- 12 mm glue sticks
- Colour: Cream
- Application temperature: 170-190 °C
- Softening point: 80-96 °C
- Open time: 30 sec
- Set time: 30 sec

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	1 kg	40302787	3221633027876	10



Car Repair

Glue
Ø12 mm

PRO

- For a wide range of professional applications within the car industry
- 12 mm glue sticks
- Colour: Black
- Application temperature: 170-190 °C
- Softening point: 80-84 °C
- Open time: 25 sec
- Set time: 15 sec

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	1 kg	51215108	3221630101357	20



GEN-T

Glue
Ø12 mm

PRO

- For a wide range of professional applications with paper, cardboard, textile, wood & derivates
- 12 mm glue sticks
- Colour: Transparent
- Application temperature: 160-200 °C
- Softening point: 81-84 °C
- Open time: 60 sec
- Set time: 30 sec

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	10 kg	40302771	3221633027715	1
Ø12 x 295 mm	2.5 kg	40302800	3221633028002	4
Ø12 x 190 mm	1 kg	40302799	3221633027999	10



Low Temp

Glue
Ø12 mm

PRO

- For a wide range of professional applications on delicate materials in need of lower temperatures
- 12 mm glue sticks
- Colour: Transparent
- Application temperature: 130-150 °C
- Softening point: 78-83 °C
- Open time: 25 sec
- Set time: 20 sec

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	1 kg	40302781	3221633027814	10

PRO

PAC

Glue
Ø12 mm

- For a wide range of professional packaging applications
- 12 mm glue sticks
- Colour: Cream
- Application temperature: 170-190 °C
- Softening point: 101-109 °C
- Open time: 8 sec
- Set time: 3 sec

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	10 kg	40302791	3221633027913	1



PRO

PRO+

Glue
Ø12 mm

- For a wide range of professional applications with plastics, metals, glass, wood and treated surfaces
- 12 mm high performance glue stick
- Colour: Yellow
- Application temperature: 170-190 °C
- Softening point: 80-96 °C
- Open time: 30 sec
- Set time: 30 sec

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	10 kg	40302779	3221633027791	1
Ø12 x 190 mm	1 kg	40302777	3221633027777	10



PRO

PRO-B

Glue
Ø12 mm

- For a wide range of professional applications such as sanitary, cable, tiles sealant or porous materials
- 12 mm glue sticks
- Colour: White
- Application temperature: 170-190 °C
- Softening point: 80-96 °C
- Open time: 30 sec
- Set time: 30 sec

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 295 mm	2.5 kg	40302804	3221633028040	4
Ø12 x 190 mm	1 kg	40302803	3221633028033	10



PRO

PRO-T

Glue
Ø12 mm

- For a wide range of professional applications, on PVC, plastic cables, glass, porous or fibrous materials
- 12 mm glue sticks
- Color: Transparent
- Application temperature: 160-200 °C
- Softening point: 81-84 °C
- Open time: 60 sec
- Set time: 30 sec

Dimension	Pcs	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm		10 kg	40302775	3221633027753	1
Ø12 x 190 mm		1 kg	40302768	3221633027685	10



ECO-T

Glue
Ø12 mm

- Can be used on wood, leather, fabrics, cork, plastic
- materials, faience and cardboard
- 12 mm glue sticks
- Color: Transparent
- Application temperature: 160-200 °C

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	1 kg	40302798	3221633027982	10

Suitable for:

Paint removal

Forming

Shrinking

Defrosting



HOT AIR GUNS



A hot air gun is a true multi-purpose tool that can assist you in a wide variety of tasks. Rapid offers everything from simpler hot air guns for home and DIY use to advanced products with power up to 2200 W.

All our products are safe and easy to use and as always, ergonomics is a key functionality and design factor. The result is tools with perfect balance and handles that reduce operator fatigue and discomfort.



RX1000

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001513	4051661037740	5
Showcase*	5001510	4051661037719	5
Showcase* - UK Plug	5001511	4051661037726	5

Cordless hot air gun powered by the Power For All Alliance battery system. Heats up to 550°C, ideal for shaping plastic, thawing pipes, or removing labels. Features an LCD screen for temperature control, two airflow settings, and a safety nozzle removal system.

- Runs with the POWER FOR ALL ALLIANCE 18V battery
- Temperature settings: 30-550°C
- 2 airflow settings
- Up to 22 min runtime with a 4.0 Ah battery
- LCD screen for precise temperature setting
- Safe removal of hot nozzles
- Soft grip handle for high comfort
- Stable desk bench position rubber base

*incl battery (4.0 Ah) and charger



R2200-LCD

2200 Watt

Description	Art. No.	EAN Code	Units
Box	5001447	4051661035777	5
Showcase	5001448	4051661035784	5
Showcase - CH plug	5001449	4051661035791	5
Showcase - UK plug	5001450	4051661035807	5

Advanced, heavy duty hot air gun with LCD screen, temperature adjustable in 10° C increments. Ideal to remove paint, soft soldering and car covering. High power of 2200 W, reaches 650° C in a few seconds.

- Power: 2200 W
- Temperature settings: 50-650 °C
- Airflow: 250-500 l/min
- LCD screen for precise temperature setting
- LED lights guide to airflow and temperature settings
- Extreme power with ceramic heater
- Residual heat LED- indicator for safe storage
- Electronic power regulation for best accuracy
- 3 airflow settings
- Soft grip handle for high comfort
- Handle protection
- Stable desk bench position rubber base



R2200-E

2200 Watt

Description	Art. No.	EAN Code	Units
Box	5001343	4051661031403	5
Showcase	5001353	4051661031557	5
Showcase - CH plug	5001354	4051661031564	5
Showcase - UK plug	5001407	4051661034039	5

Removing paint, soft welding or car coverings requires a heat gun you can rely on. With its extremely high 2200 W of power and ceramic heater, the R2200-E represents a combination of high performance and the latest innovative features.

- Power: 2200 W
- Temperature settings: 60-650 °C
- Airflow: 250-500 l/min
- LED lights guide to airflow and temperature settings
- Extreme power with ceramic heater
- Residual heat LED- indicator for safe storage
- Electronic power regulation for best accuracy
- 3 airflow settings
- Soft grip handle for high comfort
- Handle protection
- Stable desk bench position rubber base



R2000

2000 Watt

Efficient and versatile heat gun designed to deliver great performance when carrying out tasks such as stripping paint, shrinking plastic and removing or adjusting material. Three-stage temperature regulator ideal for almost all applications.

- Power: 2000 W
- Temperature settings: 60-600 °C
- Airflow: 250-500 l/min
- 3 airflow settings
- Soft grip handle for high comfort
- Handle protection
- Stable desk bench position rubber base

Description	Art. No.	EAN Code	Units
Box	5001342	4051661031397	5
Showcase	5001352	4051661031540	5
Showcase - CH plug	5001385	4051661032370	5
Showcase - UK plug	5001405	4051661033995	5



R1800

1800 Watt

Simple, no-nonsense heat gun specially created to handle jobs such as defrosting, waxing skis and snowboards, weeding a paved driveway and countless other everyday tasks at home or in the yard or garage.

- Power: 1800 W
- Temperature settings: 300-550 °C
- Airflow: 250-450 l/min
- 2 airflow settings
- Handle protection
- Stable desk bench position rubber base

*incl paint scrapers and 4 nozzles

Description	Art. No.	EAN Code	Units
Box	5001341	4051661031380	5
Showcase*	5001350	4051661031526	5
Showcase* - CH plug	5001351	4051661031533	5
Showcase* - UK plug	5001403	4051661033957	5
Showcase* - AU/NZ plug	5001404	4051661033971	5



R1600

1600 Watt

Ideal for all kinds of light DIY and home jobs such as defrosting freezers, waxing skis, removing stickers etc.

- Power: 1600 W
- Temperature settings: 400-550 °C
- Airflow 300 l/min
- Cool Air Stage
- Overheating protection

Description	Art. No.	EAN Code	Units
Box	24359800	7313463598001	4
Box - UK plug	5000702	4051661021954	4
Box - CH plug	5000710	4051661022128	4



Reduction Nozzle

Reduces the width of the airflow. Creates a narrowly directed jet ideal for gluing edges, soft soldering and removing paint in tight corners. Available in three different top diameters.

Description	Art. No.	EAN Code	Units
Reduction Nozzle 9 mm	24928500	7313469285004	1
Reduction Nozzle 14 mm	5000207	4051661008115	1



Glass Protection Nozzle

Protects glass from cracking as a result of overheating by providing more accurate direction of the flow of air. Ideal for removing paint from window frames. Available in two different widths.

Description	Art. No.	EAN Code	Units
Glass Protect Nozzle 50 mm	212149	7313462121491	1



Wide-Slot Nozzle

Creates a wide spread of the airflow when working on surfaces. Ideal for more efficient faster working when removing paint, repairing tarred roofing paper, shaping plastic and much more. Available in two different widths.

Description	Art. No.	EAN Code	Units
Wide-Slot Nozzle 45 mm	212151	7313462121514	1
Wide-Slot Nozzle 75 mm	24928700	7313469287008	1



Reflector Nozzle

Heats up all around the material by reflecting the hot airflow. Provides uniform heating all around the pipe. Ideal when soldering thin pipes, shaping PVC or shrinking shrink tubes.

Description	Art. No.	EAN Code	Units
Reflector Nozzle	212150	7313462121507	1
Reflector Nozzle + Shrink Tubing Set	5000209	4051661008139	1



Shrink Tubings

Ideal for shrinking onto cable terminals, breaks or looms. Optimal use together with a reflector nozzle. Available in three sets with different shrink tubing diameters.

Description	Art. No.	EAN Code	Units
Shrink Tubings Set 1, 1,5-5 mm	24947400	7313469474002	1
Shrink Tubings Set 2, 5-10 mm	24947500	7313469475009	1
Shrink Tubings Set 3, 3-12 mm	5000208	4051661008122	1



Paint Scraper Set

Handy Paint Scraper set for all types of paint removal. Supplied in 5 parts, including spatula and 3 replaceable cutting blades designed for different surfaces.

Description	Art. No.	EAN Code	Units
Paint Scraper Set	5000210	4051661008146	1

Suitable for:

Stapling

Nailing

Gluing

Applying hot air



18V POWER TOOLS



A range of 18V power tools and work lights based on the POWER FOR ALL ALLIANCE battery system. The battery is compatible with products from over 10 leading brands including Bosch, Gardena, Husqvarna, Rapid and Flymo, meaning that the user no longer needs to have a pile of batteries and chargers lying around needlessly. The same battery can be used with over 150 different products. The POWER FOR ALL ALLIANCE offers the market's widest application offer for home users, and new applications are being added continually.

18V POWER TOOLS



BNX50

Brad
20–50 mm

Cordless brad nailer powered by the Power For All Alliance battery system. Ideal for installing trimming, casing or skirting board. A nail depth adjuster makes it easier to work with different brad nail lengths. Two firing settings: single shot or bump fire.

- For 18Ga brads No.8, 20-50 mm
- Runs with the POWER FOR ALL ALLIANCE 18V battery
- Up to 600 shots with a 2.5 Ah battery
- Flexible, with single shot or bump fire
- LED charge indicators
- Nail depth adjuster
- Integrated holster belt hook
- LED front work light

*incl battery (2.5 Ah), charger and 300 brad nails

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001501	4051661037627	3
Showcase*	5001498	4051661037597	3
Showcase* - UK Plug	5001499	4051661037603	3



BTX606

Brad
15–30 mm

Staple
12–25 mm

Cordless staple gun powered by the Power For All Alliance battery system. Ideal for materials such as Masonite, plywood and chipboard. Takes also brad nails, ideal for trimming. An adjustable driving force with six settings makes it easier to work with different staple and brad nail lengths and various materials.

- For narrow crown staple No. 606, 12-25 mm and 18 Ga brad No. 8, 15-30 mm
- Runs with the POWER FOR ALL ALLIANCE 18V battery
- Up to 2500 shots with the 2.5 Ah battery
- Adjustable driving force with six settings
- LED charge indicators
- LED front work light

*incl battery (2.5 Ah), charger, 200 staples and 200 brads

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001505	4051661037665	5
Showcase*	5001502	4051661037634	3
Showcase* - UK Plug	5001503	4051661037641	3



BTX553

Brad
15-20 mm

Staple
8–20 mm

Cordless staple gun powered by the Power For All Alliance battery system. Ideal for materials such as textile, leather, wood, plastic, cardboard, rubber and synthetic fabric. Takes also brad nails, ideal for trimming. An adjustable driving force with six settings makes it easier to work with different staple and brad nail lengths and various materials.

- For finewire staple No. 53, 8-20 mm and 18Ga brad No. 8, 15-20 mm
- Runs with the POWER FOR ALL ALLIANCE 18V battery
- Up to 2500 shots with the 2.5 Ah battery
- Adjustable driving force with six settings
- LED charge indicators
- LED front work light

*incl battery (2.5 Ah), charger and 300 staples

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001509	4051661037702	5
Showcase*	5001506	4051661037672	3
Showcase* - UK Plug	5001507	4051661037689	3





Glue output
Up to 900 g/h



Glue
Ø12 mm

BGX500

Cordless glue gun powered by the Power For All Alliance battery system. Comes with adjustable glue flow, quick 3-minute warm-up, and exchangeable nozzles for precision work. Ideal for decorating, fastening cables, or DIY projects.

- Runs with the POWER FOR ALL ALLIANCE 18V battery
- 900 g/h glue output
- 3 min heating time
- Up to 2.5 hours runtime with a 2.5 Ah battery
- Unique glue flow adjuster
- Soft-grip trigger and handle
- Exchangeable nozzle

*incl battery (2.5 Ah), charger and 4 glue sticks

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001517	4051661037788	5
Showcase*	5001514	4051661037757	5
Showcase* - UK Plug	5001515	4051661037764	5



RX1000

Cordless hot air gun powered by the Power For All Alliance battery system. Heats up to 550°C, ideal for shaping plastic, thawing pipes, or removing labels. Features an LCD screen for temperature control, two airflow settings, and a safety nozzle removal system.

- Runs with the POWER FOR ALL ALLIANCE 18V battery
- Temperature settings: 30-550°C
- 2 airflow settings
- Up to 22 min runtime with a 4.0 Ah battery
- LCD screen for precise temperature setting
- Safe removal of hot nozzles
- Soft grip handle for high comfort
- Stable desk bench position rubber base

*incl battery (4.0 Ah) and charger

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001513	4051661037740	5
Showcase*	5001510	4051661037719	5
Showcase* - UK Plug	5001511	4051661037726	5

18V WORK LIGHTS



BWL290

Cordless work light powered by the Power For All Alliance battery system. Serves as a work light, inspection lamp, and flashlight in one, with an adjustable beam for wide or focused lighting up to 80 meters.

- Runs with the POWER FOR ALL ALLIANCE 18V battery
- Adjustable beam – switch between wide light and focused spotlight
- Two light modes – 290 lumens at 100% or 50% brightness
- 90° tiltable head
- Easy to hang – integrated hanging hook
- Up to 14 hours runtime with a 2.5 Ah battery
- LED indicator shows battery status

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001752	4051661042249	5



BWL2400

Cordless work light powered by the Power For All Alliance battery system. Delivers powerful 2400-lumens lighting with two modes for intense work light or softer general illumination.

- Runs with the POWER FOR ALL ALLIANCE 18V battery
- Powerful brightness – 2400 lumens for optimal work lighting
- Two light modes – choose between strong work light or soft general illumination
- Frosted glass minimises glare
- 180° tiltable head
- Hook and handle for standing or hanging
- Compact for easy storage
- Can be put on a tripod (not included)
- Up to 3 hours runtime with a 2.5 Ah battery
- LED indicator shows battery status

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001753	4051661042263	5

ACCESSORIES AND CONSUMABLES



Batteries & Chargers

Can be used with any 18V product or battery from brands within the Power for All Alliance, such as Bosch, Gardena, Husqvarna, Gloria, Wagner and Rapid.

Description	Art. No.	EAN Code	Units
Battery 18V 2.5Ah	5001518	4051661037795	1
Battery 18V 4.0Ah	5001519	4051661037801	1
Charger 18V-20 EU	5001523	4051661037849	1
Charger 18V-20 UK	5001524	4051661037856	1

53 Staples



Description	Pcs	Art. No.	EAN Code	Units
53/10 mm	2880	5001581	4051661039485	10
53/14 mm	2160	5001582	4051661039492	10
53/20 mm	1440	5001583	4051661039508	10

606 Staples



Description	Pcs	Art. No.	EAN Code	Units
606/18 mm	2880	5001584	4051661039515	5
606/25 mm	1920	5001585	4051661039522	5

8 Brad Nails



Description	Pcs	Art. No.	EAN Code	Units
8/20 mm	3000	5001586	4051661039539	5
8/30 mm	2250	5001587	4051661039546	5
8/50 mm	1500	5001588	4051661039553	5

Glue Sticks

Glue
Ø11-12 mm



Description	Pcs	Art. No.	EAN Code	Units
Ø12x190 mm Universal Transparent	16	5001589	4051661039560	8
Ø12x190 mm PVC & Cable	16	5001590	4051661039577	8
Ø12x190 mm Wood	16	5001591	4051661039584	8

POWER FOR ALL ALLIANCE

POWER FOR ALL 18V ALLIANCE

BOSCH GARDENA Husqvarna GLORIA The Original WAGNER Flymo

LEDVANCE PERFECTPRO Rapid steinel HK AUDIO

1 BATTERY, 10+ BRANDS, 150+ PRODUCTS.

POWER FOR ALL ALLIANCE:
More than 150 products. Multiple brands. One high-quality battery.
Reduce the need for multiple batteries and chargers,
saving money in your home and garden.



Suitable for:

Bonding

Repairs

Handicrafts

Decorative work



RIVETING



Riveting tools for blind rivets and blind rivet nuts are developed for the fastening of tough and hard materials where the back is inaccessible. Rapid offers a number of products that have been constructed with attention to ergonomics, user friendliness and powerful performance.

To ensure the correct dimensions, every pack of blind rivets or blind rivet nuts comes complete with a corresponding drill. Our riveting plier product range also includes punch pliers and eyelet pliers.

RIVETING TOOLS



RP150 MULTI

Description	Art. No.	EAN Code	Units
Box	5001484	4051661037078	3
Repair kit for RP150 Multi	5001578	4051661039409	1

Rivet adapter, to be attached to a screw driver. Thanks to the unique Multi-nozzle, the RP150 Multi can be operated without nozzle changes.

- For 3.2, 4.0 and 4.8 mm rivets of all types of material
- Multi nozzle, fits all rivets
- Attaches to a drill driver or screwdriver
- Aluminium monocoque outer housing
- Mechanical parts made of hardened steel
- A mounting wrench for maintenance is included
- A complete repair kit can be purchased separately



RP100 MULTI

Description	Art. No.	EAN Code	Units
Box	5001721	4051661041310	5

Precision, heavy-duty hand riveter featuring an outstanding, fatigue-reducing Power Reduction technology. Thanks to the unique Multi-nozzle, the RP100 Multi can be operated without nozzle changes.

- For 3.2, 4.0 and 4.8 mm rivets of all types of material
- Multi nozzle, fits all rivets
- Power reduction mechanism
- Integrated rivet pin receiver
- Easy-check system for rivet diameter
- Integrated caliper
- Strong metal jaws
- Soft grip handle
- 5 year guarantee



RP60 MULTI

Description	Art. No.	EAN Code	Units
Box	5001720	4051661041303	5
Premium case incl rivets	5001128	4051661028304	5

Thanks to its unique Multi-Nozzle, the RP60 Multi Hand Riveter can be operated without nozzle changes. It is also equipped with a 360° pivoting head that improves access to tight working spaces.

- For 3.2, 4.0 and 4.8 aluminium rivets
- 360° pivoting head
- Multi nozzle, fits all rivets
- Easy-check system for rivet diameter
- Integrated caliper
- Light, aluminium die cast body
- Strong metal jaws
- Soft grip handle
- 3 year guarantee



RP40 MULTI

Description	Art. No.	EAN Code	Units
Box	5001719	4051661041297	5
Premium case incl rivets	5001127	4051661028298	5

Thanks to its unique Multi-Nozzle, the RP40 Multi Hand Riveter can be operated without nozzle changes. Designed for use with both aluminium and steel rivets.

- For 3.2 and 4.0 stainless steel rivets
- For 3.2, 4.0 and 4.8 aluminium rivets
- Multi nozzle, fits all rivets
- Easy-check system for rivet diameter
- Integrated caliper
- Strong metal jaws
- Soft grip handle
- 3 year guarantee



RP10

Description	Art. No.	EAN Code	Units
Box incl 100 rivets	5001718	4051661041280	5

Enjoy fast, trouble-free riveting. This handy kit includes 100 rivets to get you started straight away.

- For 3.2, 4.0 and 4.8 aluminium rivets
- Integrated wrench
- Soft grip handle
- Includes 100 rivets

RIVET NUT TOOLS



RP160

M4 M5 M6 M8

Description	Art. No.	EAN Code	Units
Box	5001483	4051661037061	3
Repair kit for RP160	5001579	4051661039416	1

Rivet nut adapter, to be attached to a screw driver. With this tool, you can efficiently insert M4, M5, M6 and M8 rivet nuts – internally threaded tubular rivets.

- For M4, M5, M6 and M8 rivet nuts.
- Attaches to a drill driver or screwdriver with adjustable torque
- Aluminium monocoque outer housing
- Mechanical parts made of hardened steel
- A mounting wrench for maintenance is included
- A complete repair kit can be purchased separately



RP110

M3 M4 M5 M6

Description	Art. No.	EAN Code	Units
Box	5001722	4051661041327	5

A rivet nut insertion tool designed to provide a solution when fastening materials together without access to the rear to tighten a bolt. With this tough, die cast aluminium tool, you can insert M3, M4, M5 and M6 rivet nuts – internally threaded tubular rivets.

- For M3, M4, M5, M6 rivet nuts
- Integrated wrench
- Strong metal jaws
- Soft grip handle
- 3 year guarantee

ADDITIONAL PLIERS



RP05 Eyelet Pliers

ø4mm

Description	Art. No.	EAN Code	Units
Box	5001723	4051661041334	5

Eyelet pliers with integrated hole punch function. Ideal for use on leather, shoes, canvas and much more.

- For 4.0 mm eyelets
- Integrated hole punch function
- Strong metal parts
- Chrome finishing
- Includes a 105 pack of 4 mm eyelets



RP03 Hole Punch

Description	Art. No.	EAN Code	Units
Box	5001724	4051661041822	5

Versatile, great value leather punch set for leather, textile and plastic application. Easy to handle, designed for frequent usage and delivers great results.

- Punches holes from 2.0 to 4.5 mm in diameter
- Rotating head to select the correct diameter
- Strong metal parts
- Chrome finishing

RIVETS

Choose rivet diameter and grip range for a perfect result.

1. DIAMETER


Ø3.2 LOW STRENGTH

Ø4.0 MEDIUM STRENGTH

Ø4.8 HIGH STRENGTH

2. GRIP RANGE

Measure the materials to be joined together, that's the grip range.





High Performance Rivets

Description	Specification	Grip Range	Pcs	Art. No.	EAN Code	Units
Ø3.2 x 6 mm	Aluminium	1-3 mm	50	5001528	4051661037894	5
Ø3.2 x 8 mm	Aluminium	2-4 mm	50	5000383	4051661013430	5
Ø4 x 10 mm	Aluminium	5-7 mm	50	5001459	4051661036156	5
Ø4 x 12 mm	Aluminium	6-9 mm	50	5000384	4051661013447	5
Ø4 x 14 mm	Aluminium	8-10 mm	50	5000385	4051661013454	5
Ø4 x 18 mm	Aluminium	12-15 mm	50	5000386	4051661013461	5
Ø4.8 x 10 mm	Aluminium	4-7 mm	50	5000387	4051661013478	5
Ø4.8 x 12 mm	Aluminium	6-9 mm	50	5000388	4051661013485	5
Ø4.8 x 14 mm	Aluminium	8-11 mm	50	5000389	4051661013492	5
Ø4.8 x 16 mm	Aluminium	9-12 mm	50	5000390	4051661013508	5
Ø4.8 x 20 mm	Aluminium	14-16 mm	50	5000391	4051661013515	5
Ø4.8 x 25 mm	Aluminium	19-22 mm	50	5000392	4051661013522	5



- High performance, aluminium rivets
- Perfect for securing material which may be in exposed places
- Use effectively on mudguards, metal and plastic covering, signage and metal sheeting
- A drill of correct size is included in the packaging

High Performance Rivets/ Large boxes

Description	Specification	Grip Range	Pcs	Art. No.	EAN Code	Units
Ø3.2 x 8 mm	Aluminium	2-4 mm	500	5001431	4051661035159	4
Ø4 x 8 mm	Aluminium	3-5 mm	500	5001432	4051661035166	4
Ø4 x 10 mm	Aluminium	5-7 mm	500	5001433	4051661035173	4
Ø4 x 12 mm	Aluminium	6-9 mm	500	5001434	4051661035180	4
Ø4.8 x 10 mm	Aluminium	4-7 mm	350	5001435	4051661035197	4
Ø4.8 x 12 mm	Aluminium	6-9 mm	300	5001436	4051661035203	4
Ø4.8 x 14 mm	Aluminium	8-11 mm	300	5001437	4051661035210	4
Ø4.8 x 16 mm	Aluminium	9-12 mm	300	5001438	4051661035227	4
Ø4.8 x 20 mm	Aluminium	14-16 mm	250	5001439	4051661035234	4
Ø4.8 x 25 mm	Aluminium	19-22 mm	200	5001440	4051661035241	4



- High performance, aluminium rivets
- Perfect for securing material which may be in exposed places
- Use effectively on mudguards, metal and plastic covering, signage and metal sheeting


RAL 9010


RAL 7016


RAL 9001


RAL 9005 Jet





Coloured Rivets

Description	Specification	Grip Range	Pcs	Art. No.	EAN Code	Units
Ø4 x 10 mm	Alu - White	5-7 mm	50	5001463	4051661036286	5
Ø4.8 x 12 mm	Alu - White	6-9 mm	50	5001468	4051661036330	5
Ø4 x 10 mm	Alu - White Cream	5-7 mm	50	5001464	4051661036293	5
Ø4.8 x 12 mm	Alu - White Cream	6-9 mm	50	5001469	4051661036347	5
Ø4 x 10 mm	Alu - Anthracite Grey	5-7 mm	50	5001465	4051661036309	5
Ø4.8 x 12 mm	Alu - Anthracite Grey	6-9 mm	50	5001470	4051661036354	5
Ø4 x 10 mm	Alu - Black	5-7 mm	50	5001466	4051661036316	5
Ø4.8 x 12 mm	Alu - Black	6-9 mm	50	5001471	4051661036361	5
Ø4 x 16 mm	Alu - Blue, Yellow, Black & White	10-13 mm	32	5000403	4051661013638	5
Ø4.8 x 16 mm	Alu - Blue, Yellow, Black & White	9-12 mm	32	5000404	4051661013645	5



- High quality, coloured aluminum rivets
- Specifically designed for effective, discreet fastening and automotive repair work
- Available as white, white cream, anthracite grey, black and mixed blue/yellow/black/white
- A drill of correct size is included in the packaging





Stainless Steel Rivets

Description	Specification	Grip Range	Pcs	Art. No.	EAN Code	Units
Ø3.2 x 8 mm	Stainless steel	2-4 mm	50	5000393	4051661013539	5
Ø4 x 8 mm	Stainless steel	3-5 mm	50	5001460	4051661036163	5
Ø4 x 12 mm	Stainless steel	6-9 mm	50	5000394	4051661013546	5
Ø4 x 14 mm	Stainless steel	8-10 mm	50	5000395	4051661013553	5
Ø4.8 x 10 mm	Stainless steel	4-7 mm	50	5000396	4051661013560	5
Ø4.8 x 14 mm	Stainless steel	8-11 mm	50	5001461	4051661036170	5
Ø4.8 x 18 mm	Stainless steel	12-14 mm	50	5000397	4051661013577	5
Ø4.8 x 25 mm	Stainless steel	19-22 mm	50	5000398	4051661013584	5



- Stainless steel A2 Class, AISI 304 quality
- Extra hard material ensures a strong bond designed to exceed the lifetime of the bonded material
- Specifically created for outside use or application in humid or damp environments
- Ideal for license plate fastening, mudguards, metal coverings, greenhouses, lawnmowers or sheet metal roofing
- A drill of correct size is included in the packaging





Waterproof Rivets

Description	Specification	Grip Range	Pcs	Art. No.	EAN Code	Units
Ø3.2 x 8 mm	Aluminium	2-4 mm	50	5000399	4051661013591	5
Ø4 x 12 mm	Aluminium	6-9 mm	50	5000400	4051661013607	5
Ø4 x 16 mm	Aluminium	9-12 mm	50	5000401	4051661013614	5
Ø4.8 x 14 mm	Aluminium	8-11 mm	50	5000402	4051661013621	5



- Waterproof rivets featuring a head that is a single unit without joints
- Ensures no leakage occurs between the bonded materials
- Ideal for securing waterspouts, gutters, roofing, shower panels and other tasks such as greenhouse repair work
- A drill of correct size is included in the packaging



XL Rivets

Description	Specification	Grip Range	Pcs	Art. No.	EAN Code	Units
Ø3.2 x 8 mm	Aluminium	2-4 mm	50	5000659	4051661020827	5
Ø4 x 10 mm	Aluminium	5-7 mm	50	5000660	4051661020841	5
Ø4 x 12 mm	Aluminium	6-9 mm	50	5000661	4051661020865	5
Ø4 x 16 mm	Aluminium	9-12 mm	40	5000662	4051661020889	5
Ø4 x 18 mm	Aluminium	12-15 mm	40	5000663	4051661020902	5
Ø4.8 x 12 mm	Aluminium	6-9 mm	40	5000664	4051661020926	5
Ø4.8 x 16 mm	Aluminium	9-12 mm	40	5000665	4051661020940	5
Ø4.8 x 20 mm	Aluminium	14-16 mm	25	5000667	4051661020988	5
Ø4.8 x 30 mm	Aluminium	19-25 mm	25	5000668	4051661021008	5



- High performance, aluminium rivets with a wider, flatter ring
- The extra area this ring creates increases resistance and fastening stability
- Ideal when attaching softer materials such as leather, rubber and plastic to harder materials
- A drill of correct size is included in the packaging



RAL 8023

Coppered Rivets

Description	Specification	Grip Range	Pcs	Art. No.	EAN Code	Units
Ø4 x 10 mm	Coppered Alu	5-7 mm	50	5001462	4051661036279	5
Ø4.8 x 12 mm	Coppered Alu	6-9 mm	50	5001467	4051661036323	5



- Copper coated, high grade aluminium rivets
- Ideal for effective and discreet fastening of copper gutters and pipes.
- A drill of correct size is included in the packaging



Rivets in plastic bag

Description	Specification	Grip Range	Pcs	Art. No.	EAN Code	Units
Ø3.2 x 8 mm	Aluminium	2-4 mm	100	5000377	4051661013379	10
Ø4 x 8 mm	Aluminium	2-5 mm	100	5000378	4051661013386	10
Ø4 x 12 mm	Aluminium	6-9 mm	100	5000379	4051661013393	10
Ø4.8 x 10 mm	Aluminium	4-7 mm	100	5000380	4051661013409	10
Ø4.8 x 14 mm	Aluminium	8-11 mm	100	5000381	4051661013416	10
Ø4.8 x 16 mm	Aluminium	9-12 mm	100	5000382	4051661013423	10



- Standard rivets
- Designed for applications such as metal sheet work, automotive repair and decoration





Rivet Nuts

Description	Specification	Grip Range	Pcs	Art. No.	EAN Code	Units
M3	Steel	0.5-1.5 mm	20	5000670	4051661021046	5
M4	Steel	0.5-2.0 mm	20	5000671	4051661021060	5
M5	Steel	0.5-2.5 mm	20	5000672	4051661021084	5
M6	Steel	0.5-3.0 mm	20	5000673	4051661021107	5
M8	Steel	0.5-3.5 mm	20	5001482	4051661037054	5

- Apply where the use of a tapped thread is impractical or impossible
- Can be anchored entirely from one side
- Removes the need for a traditional bolt on the 'rear' of the materials being fastened together.
- Increases working efficiency by allowing the user to complete the job from one side.
- Ideal also for fastening materials with a low grip range (under 3 mm).
- A drill of correct size is included in the packaging





Eyelets

Description	Specification	Pcs	Art. No.	EAN Code	Units
4 mm	Steel	100	5000409	4051661013690	5
6 mm	Steel	25	5000410	4051661013706	5
8 mm	Steel	25	5000411	4051661013713	5

- Specifically created for effective application on textiles, leather, shoes and canvas
- Including fixing system (6-8 mm eyelets)





Grommets

Description	Specification	Pcs	Art. No.	EAN Code	Units
10 x 21 mm	Steel	25	5000412	4051661013720	5
12 x 23 mm	Steel	25	5000413	4051661013737	5

- Ideal for reinforcing holes in a wide range of material
- Use effectively on cloth, tarpaulin, oilskin, leather and much more
- The perfect solution for shoelace eyelets, jackets, belts, luggage, plastic sheeting, laminated paper etc
- Including fixing system





Tubular Rivets

Description	Specification	Pcs	Art. No.	EAN Code	Units
7 x 3 x 9 mm, Cap 7 x 3	Steel	25	5000414	4051661013744	5
8 x 3 x 9 mm, Cap 8 x 3	Steel	25	5000415	4051661013751	5
9 x 3 x 13 mm, Cap 10 x 3	Steel	25	5000416	4051661013768	5

- Perfect for a wide range of tasks
- Use for jeans decoration, repairing pockets or belt loops or textile and leather fixing

Suitable for:

Plasterboard

Chipboard

Fibreboard



PLASTERBOARD FIXINGS



Hollow wall anchors are ideal for fixing and anchoring jobs into plasterboard, chipboard, and fiberboard as well as plastic, metal and laminate sheets. In our range you'll find plugs for diverse tasks from home and hobby use to DIY and professional applications. To simplify these tasks, all packages include drills and bits (does not apply to master packs).

SETTING TOOLS



XP30

Description	Art. No.	EAN Code	Units
Box	5001539	4051661038075	5

Easy to use setting tool ideal for intensive, heavy-duty hollow wall anchoring jobs. XP30 sits flush with wall which helps ensure the plug is fitted correctly.

- For M4, M5 and M6 screws in hollow wall anchors
- Designed for effortless installation
- Large and stable base
- Non-slip rubber surface
- Ergonomic handle
- Made of strong, long lasting aluminium
- 3 year guarantee



XP20

Description	Art. No.	EAN Code	Units
Box	5001537	4051661038051	5

Setting tools for frequent use and more demanding plasterboard and hollow wall fixing jobs.

- For M4, M5 and M6 screws in hollow wall anchors
- Long arms for a simple and fast fixation
- Steel body with long lasting zink alloy
- Comfortable soft grip handle
- 3 year guarantee



XP10

Description	Art. No.	EAN Code	Units
Box incl 20 hollow wall anchors	5001535	4051661038037	5

Setting tool for occasional plasterboard fixing.

- For M4 and M5 screws into hollow wall anchors
- Long steel arm for an easy tension
- Steel body with long lasting zink alloy
- Incl. 1 screw bit, 2 drills and 20 hollow wall anchors

FIXINGS

5 KG

Description	Board thickness	Pcs	Art. No.	EAN Code	Units
Self Drilling	6-16 mm	10	5001558	4051661038457	5



- Maximum load of 5 kg
- For single plasterboard
- Pre-drilling not needed

25 KG

Description	Board thickness	Pcs	Art. No.	EAN Code	Units
Hollow wall anchor M4x40	3-13 mm	10	5001546	4051661038334	5
Hollow wall anchor M4x58	3-20 mm	10	5001548	4051661038358	5
Hollow wall anchor M4x55	16-26 mm	10	5001547	4051661038341	5
Hollow wall anchor L-O-C	3-13 mm	12	5001556	4051661038433	5
Hollow wall anchor M4x40	3-13 mm	50	5001560	4051661038471	4
Hollow wall anchor M4x58	3-20 mm	50	5001562	4051661038495	4
Hollow wall anchor M4x55	16-26 mm	50	5001561	4051661038488	4



- Maximum load of 25 kg
- For plasterboard and cavity wall fixings
- Drill and screw bits included (except 50-pack)
- Also available as angle-, ring- and rounded-hook (L-O-C)

40 KG

Description	Board thickness	Pcs	Art. No.	EAN Code	Units
Hollow wall anchor M5x48	6-16 mm	10	5001549	4051661038365	5
Hollow wall anchor M5x63	6-21 mm	10	5001550	4051661038372	5
Hollow wall anchor M5x74	18-32 mm	10	5001551	4051661038389	5
Hollow wall anchor M5x89	32-45 mm	10	5001552	4051661038396	5
Hollow wall anchor L-O-C	6-16 mm	12	5001557	4051661038440	5
Hollow wall anchor M5x48	6-16 mm	50	5001563	4051661038501	4
Hollow wall anchor M4x55	16-26 mm	50	5001561	4051661038488	4



- Maximum load of 40 kg
- For plasterboard and cavity wall fixings
- Drill and screw bits included (except 50-pack)
- Also available as angle-, ring- and rounded-hook (L-O-C)

50 KG

Description	Board thickness	Pcs	Art. No.	EAN Code	Units
Hollow wall anchor M6x63	6-21 mm	10	5001553	4051661038402	5
Hollow wall anchor M6x75	18-32 mm	10	5001554	4051661038419	5
Hollow wall anchor M6x63	6-21 mm	40	5001567	4051661038549	4



- Maximum load of 50 kg
- For plasterboard and cavity wall fixings
- Drill and screw bits included (except 40-pack)

Suitable for:

Painting

Inspection

Carpentry

Auto repairs



WORK LIGHTS



We do more than help consumers find and use the best tools. We also make sure they have optimal light conditions when they work. Our range is tailored to meet lighting demands in various scenarios – from wallpapering, painting and carpentry to working in the garage or in locations without electricity supply.

Above all, we have made it easy for the customer to find the right work light on the store shelf or online. All our products feature clear names, symbols and descriptions that ensure you can find the work light that is best for your particular needs.



The Painter+

Very bright light when painting or wallpapering. Perfect work lighting, very good dispersion and low glare.

- Light output of 5000 lumens
- Colour temperature of 6000 Kelvin
- Frosted glass minimises glare
- Fully dustproof and protected against water spray from all directions (IP65)
- Can be put on a tripod (not included)
- Compact storage

Description	Art. No.	EAN Code	Units
Box	5001730	4051661044199	5
Box - UK plug	5001738	4051661045318	5
Box - CH plug	5001762	4051661045912	5



The Painter

Perfect for painting or wallpapering. Right light, good dispersion and low glare.

- Light output of 2000 lumens
- Colour temperature of 6000 Kelvin
- Frosted glass minimises glare
- Fully dustproof and protected against water spray from all directions (IP65)
- Compact storage



Description	Art. No.	EAN Code	Units
Box	5001729	4051661044182	5
Box - UK plug	5001737	4051661045295	5
Box - CH plug	5001761	4051661045899	5
The Painter Kit (1 light + tripod)	5001778	4051661042980	4
The Painter Kit (2 lights + tripod)	5001779	4051661042997	4
The Painter Kit (1 light + tripod) - CH plug	5001828	4051661044892	4
The Painter Kit (2 lights + tripod) - CH plug	5001829	4051661044908	4



The Inspector

Optimal working light for inspection and work in tight spaces.

- Front light (150 lumens) and top light (50 lumens)
- Secure placement with stand, magnet or hook
- Protected against small particles (down to 1mm) and water drips, even when tilted (IP42)
- Integrated 3.6V Li-ion battery
- USB-C cable for charging included

Description	Art. No.	EAN Code	Units
Box	5001732	4051661044212	5



The Inspector H/F

Head torch for inspections, controlling and working in dark spaces where you need both hands free.

- Two brightness modes: 400 lumens main light and 200 lumens low-output mode
- Protected against small particles (down to 1mm) and splashing water from any direction (IP44)
- Rear red light: increased visibility from behind
- Integrated 3.6V battery
- USB-C cable for charging included

Description	Art. No.	EAN Code	Units
Box	5001734	4051661045196	5



The Portable

Description	Art. No.	EAN Code	Units
Box	5001731	4051661044205	8

Rechargeable work light for optimal illumination in the garage, shed, in the attic or when working outdoors where you do not have power.

- Bright light with good dispersion (1000 lumens)
- Two lighting modes (100% / 50%)
- Runtime of about 3 hours
- Fully dustproof and protected against water spray from all directions (IP65)
- Can be used as a power bank
- Integrated Li-ion battery
- USB-C cable for charging included



The Mechanic

Description	Art. No.	EAN Code	Units
Box	5001733	4051661045189	5

Work lighting with LED, perfect for vehicle repairs and tinkering. Long lighting arm reaches far down into tight spaces.

- Fold-out lighting arm with light both on top and at the side
- Wide light of 500 or 250 lumens
- Top light for spotlighting at 50 lumens
- Equipped with a hook and magnet
- Integrated 3.6V Li-ion battery
- Micro-USB cable for charging included



The Renovator

Description	Art. No.	EAN Code	Units
Box	5001735	4051661045202	5
Box - CH plug	5001763	4051661045936	5

LED Strip light for renovation and construction work both indoors and outdoors.

- General lighting (1000 lm/m) with neutral white light of 4000K
- Fully dustproof and protected against water spray from all directions (IP65)
- Can be used both indoors and outdoors
- Easily connects to more strips into max 50 m
- Power cord included



BWL290

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001752	4051661042249	5

Cordless work light powered by the Power For All Alliance battery system. Serves as a work light, inspection lamp, and flashlight in one, with an adjustable beam for wide or focused lighting up to 80 meters.

- Runs with the POWER FOR ALL ALLIANCE 18V battery
- Adjustable beam – switch between wide light and focused spotlight
- Two light modes – 290 lumens at 100% or 50% brightness
- 90° tiltable head
- Easy to hang – integrated hanging hook
- Up to 14 hours runtime with a 2.5 Ah battery
- LED indicator shows battery status




BWL2400

Description	Art. No.	EAN Code	Units
Box - Bare Tool, battery not included	5001753	4051661042263	5

Cordless work light powered by the Power For All Alliance battery system. Delivers powerful 2400-lumens lighting with two modes for intense work light or softer general illumination.

- Runs with the POWER FOR ALL ALLIANCE 18V battery
- Powerful brightness – 2400 lumens for optimal work lighting
- Two light modes – choose between strong work light or soft general illumination
- Frosted glass minimises glare
- 180° tiltable head
- Hook and handle for standing or hanging
- Compact for easy storage
- Can be put on a tripod (not included)
- Up to 3 hours runtime with a 2.5 Ah battery
- LED indicator shows battery status

Suitable for:
Fencing
Netting
Plants



GARDEN TOOLS



In our outdoors range, Rapid offers a variety of high quality garden tools that facilitate efficient, neat fastening of plants, vines or garden fences. Our pliers have all been designed with the highest attention to ergonomics and functional design and hog rings are available in a number of different dimensions and coatings to accommodate any situation or requirement.

FENCE PLIERS



FP222

Hog Ring VR22
5–11 mm

Description	Art. No.	EAN Code	Units
Clamshell	23468100	7313464681009	5

For more demanding garden tasks such as fixing thicker wire netting or chain link fencing, these fence pliers are a tough, reliable solution that delivers great results.

- Delivers a closing diameter of 5-11 mm
- Optimal performance with VR22 hog rings
- High capacity hog ring magazine
- Ergonomic soft grip handle
- Handle lock for easy storage
- Cut wire function for up to Ø2 mm wire
- Loading indicator



FP216

Hog Ring VR16
2–8 mm

Description	Art. No.	EAN Code	Units
Clamshell	23467900	7313464679006	5

Reliable, easy-to-use fence pliers. Ideal for agricultural applications requiring thinner fencing like pets protection.

- Delivers a closing diameter of 2-8 mm
- Optimal performance with VR16 hog rings
- High capacity hog ring magazine
- Ergonomic soft grip handle
- Handle lock for easy storage
- Loading indicator
- Cut wire function for up to Ø2 mm wire



FP20

Hog Ring VR22
5–11 mm

Hog Ring VR16
2–8 mm

Description	Art. No.	EAN Code	Units
Clamshell	23468000	7313464680002	10

Versatile, great value and easy-to-use fence pliers. Ideal for a number of applications, including fixing wire netting to fence wire. Magazine-free operation.

- Can deliver a closing diameter up to 11 mm
- Optimal performance with VR16 and VR22 hog rings
- Magazine free operation
- Ergonomic soft grip handle
- Handle lock for easy storage
- Cut wire function for up to Ø2 mm wire

VINE PLIERS



LIG175

Hog Ring 6–18 mm

Hog Ring 6–20 mm

Professional standard, durable vine pliers featuring a high capacity magazine and precision performance. Ideal for securing large branches.

- Delivers a closing diameter of 6-20 mm
- Optimal performance with C75 and C85 hog rings
- High capacity hog ring magazine
- Ergonomic soft grip handle
- Hardened steel for best durability

Description	Art. No.	EAN Code	Units
Box	40107754	3221631077545	8



LIG150

Hog Ring 4–14 mm

Professional standard, durable vine pliers with high capacity magazine. Ideal for securing branches.

- Delivers a closing diameter of 4-14 mm
- Optimal performance with C50 hog rings
- High capacity hog ring magazine
- Ergonomic soft grip handle
- Hardened steel for best durability

Description	Art. No.	EAN Code	Units
Box	40107753	3221631077538	8

HOG RINGS



These galvanised, high quality hog rings are an effective solution for different outdoor fastening applications.

Fence Hog rings VR22 box

Hog Ring
5–11 mm

Description	Specification	Pcs	Art. No.	EAN Code	Units
5-11 mm	Galvanized	1600	40108810	3221631088107	10
5-11 mm	Galvanized; Green PET coated	1600	40108811	3221631088114	10
5-11 mm	Galvanized; Black PET coated	1600	40017338	3221630173385	10



- Galvanised, high quality hog rings
- An effective solution when fastening chain-link mesh fencing on the tensile wire
- Suitable for use with closing diameter from 5 to 11 mm
- Ideal for residential applications in need of high protection
- Also available in green or black plastic coated finish, for discreet fixing of colour fencing

Fence Hog rings VR22 blister

Hog Ring
5–11 mm

Description	Specification	Pcs	Art. No.	EAN Code	Units
5-11 mm	Galvanized	1100	40108806	3221631088060	5
5-11 mm	Galvanized; Green PET coated	1100	40108807	3221631088077	5
5-11 mm	Galvanized; Grey PET coated	1100	5001333	4051661031045	5
5-11 mm	Galvanized	215	40108801	3221631088015	10
5-11 mm	Galvanized; Green PET coated	215	40108802	3221631088022	10
5-11 mm	Galvanized; Black PET coated	215	40108804	3221631088046	10



- Galvanised, high quality hog rings
- An effective solution when fastening chain-link mesh fencing on the tensile wire
- Suitable for use with closing diameter from 5 to 11 mm
- Ideal for residential applications in need of high protection
- Also available in green, grey or black plastic coated finish for discreet fixing of colour fencing

Fence Hog rings VR16 box & blister

Hog Ring
2–8 mm

Description	Specification	Pcs	Art. No.	EAN Code	Units
2-8 mm	Galvanized	3190	40108808	3221631088084	13
2-8 mm	Galvanized; Green PET coated	3190	40108809	3221631088091	13
2-8 mm	Galvanized	1390	40108799	3221631087995	5
2-8 mm	Galvanized; Green PET coated	1390	40108800	3221631088008	5
2-8 mm	Galvanized	400	40108796	3221631087964	10
2-8 mm	Galvanized; Green PET coated	400	40108797	3221631087971	10



- Galvanised, high quality hog rings
- An effective solution when fastening chain-link mesh fencing on the tensile wire
- Suitable for use with closing diameter from 2 to 8 mm
- Ideal for pet protection like barnyard, pasture, breeding, securing garden or for terrace screens
- Also available in green plastic coated finish for discreet fixing of colour fencing

Vine Hog rings C85

C85 **Hog Ring**
6–20 mm

Description	Specification	Pcs	Art. No.	EAN Code	Units
6-20 mm	Bright basic steel	5000	40107761	3221631077613	4



- High quality steel hog rings
- Ideal for securing branches and vine shoots 6-20 mm in diameter

Vine Hog rings C75

C75 **Hog Ring**
6–18 mm

Description	Specification	Pcs	Art. No.	EAN Code	Units
6-18 mm	Bright basic steel	6000	40107759	3221631077590	4
6-18 mm	Aluminium	6000	40107760	3221631077606	4



- High quality hog rings
- Ideal for securing branches and vine shoots between 6-18 mm in diameter

Vine Hog rings C50

C50 **Hog Ring**
4–14 mm

Description	Specification	Pcs	Art. No.	EAN Code	Units
4-14 mm	Bright basic steel	4200	40107757	3221631077576	4
4-14 mm	Aluminium	4200	40107758	3221631077583	4



- High quality hog rings
- Ideal for securing branches and vine shoots between 4-14 mm in diameter



INDUSTRY & PRINT FINISHING



Rapids range of electric staplers and stapling pliers is a result of its high quality, outstanding performance and flexible areas of application.

With a wide range of potential uses including printing tasks, booklet stapling, packaging and even in florists or other retail outlets, our Industry and Print Finishing products deliver proven Rapid benefits including reliability and precision even under demanding, high-frequency conditions.

STAPLING PLIERS



K1+

The Rapid K1+ - renowned for its performance and high quality. Available in 2 different versions - for Rapid staple No. 24 and for Rapid staple No. 26. For the post room, shops, store, home and office.

- Capacity: 50 sheets (80 gsm paper)
- Available in 2 versions: for Rapid staple No 24 or 26
- Adjustable anvil for stapling and pinning
- Made out of metal with chromed surface
- 15 year guarantee when using Rapid staples

Comes with a sustainable commitment to reduce carbon emissions, certified by ClimatePartner (climate-id.com/T99YMY)

Description	Art. No.	EAN Code	Units
24/6-8+, Box	10510601	7313465106013	40
26/6-8+, Box	10510602	7313465106020	40
24/6-8+, Clamshell	10510628	7313465106280	24
26/6-8+, Clamshell	10510629	7313465106297	24

24 Staples Strong

Description	Specification	Pcs	Art. No.	EAN Code	Units
24/6 mm	Galvanized; Strong	1000	24855800	7313468558000	10
24/6 mm	Galvanized; Strong	5000	24859900	7313468599003	5



6 mm 2–30 sheets

24 Staples Superstrong

Description	Specification	Pcs	Art. No.	EAN Code	Units
24/6 mm	Stainless; Superstrong	1000	24858100	7313468581008	5
24/8 mm	Stainless; Superstrong	1000	24858300	7313468583002	5
24/8+ mm	Galvanized; Superstrong	1000	24858500	7313468585006	5
24/8+ mm	Galvanized; Superstrong	5000	24860100	7313468601003	35



6 mm 2–30 sheets
8 mm 2–40 sheets
8,5 mm 2–50 sheets

26 Staples Strong

Description	Specification	Pcs	Art. No.	EAN Code	Units
26/6 mm	Galvanized; Strong	1000	24861400	7313468614003	10
26/6 mm	Galvanized; Strong	5000	24862000	7313468620004	5



6 mm 2–30 sheets

26 Staples Superstrong

Description	Specification	Pcs	Art. No.	EAN Code	Units
26/8+ mm	Galvanized; Superstrong	1000	24861600	7313468616007	5
26/8+ mm	Galvanized; Superstrong	5000	24862200	7313468622008	70



8.5 mm 2–50 sheets



K1 Textile

Same design as the K1 pliers, except without the adjustable anvil, but produced for super fine staples Rapid No 43. Excellent for all work in textiles, professionally or at home.

- Especially produced for all work in textiles
- Nice classic design
- Made out of metal with chromed surface
- 5 year guarantee when using Rapid staples

Description	Art. No.	EAN Code	Units
43/6-8 mm, Box	10520501	7313465205013	10

43 Staples Superstrong

Description	Specification	Pcs	Art. No.	EAN Code	Units
43/6 mm	Galvanized; Superstrong	10.000	24872200	7313468722005	70
43/8 mm	Galvanized; Superstrong	10.000	24872300	7313468723002	60





HD31

Powerful pliers with nickel-plated design and finger stop, ideal for jiffy bags, small boxes etc. Works with 3 different anvils which are easily attached with two screws.

- Capacity: 70 sheets (80 gsm paper)
- Nickel-plated design and finger stop
- Deliver with straight anvil and it is a standard version. Bag anvil is only delivered as accessory.
- 5 year guarantee when using Rapid staples

Description	Art. No.	EAN Code	Units
Box	10540310	7313465403105	10
2 anvils; Box	10540301	7313465403013	10

73 Staples Super Strong

Description	Specification	Pcs	Art. No.	EAN Code	Units
73/8 mm	Galvanized; Superstrong	5000	24890300	7313468903008	18
73/10 mm	Galvanized; Superstrong	5000	24890400	7313468904005	16
73/12 mm	Galvanized; Superstrong	5000	24890800	7313468908003	15



8 mm	10–30 sheets
10 mm	10–40 sheets
12 mm	40–70 sheets



S51

Description	Art. No.	EAN Code	Units
Nickel; Box	10538702	7313465353028	5
Black; Box	10538705	7313465353127	5
Blue; Box	10538707	7313465353073	5
White; Box	10538708	7313465353080	5



Handy stapling pliers for home and office with a need for stapling with small staples. Grip friendly and totally in steel with powder spray paint treatment. Available in nickel-plating and several colours.

21 Staples Standard

Description	Specification	Pcs	Art. No.	EAN Code	Units
21/4 mm	Galvanized; Standard	2000	24867500	7313468675004	10



4 mm	12 sheets

21 Staples Strong

Description	Specification	Pcs	Art. No.	EAN Code	Units
21/4 mm	Galvanized; Strong	1000	24863400	7313468634001	10
21/4 mm	Galvanized; Strong	5000	24867400	7313468674007	5



4 mm	20 sheets

ELECTRIC STAPLERS



105E



Electric stapler for office and packaging stapling. Fast stapler with slim design for added versatility. Equipped with the power, reliability and versatility demanded by industrial users. Two or more staplers can be linked for simultaneous multi-stapling.

- Capacity: 50 sheets (80 gsm paper)
- Adjustable stapling force
- Adjustable stapling depth 0-102 mm
- Slim design enables it to be installed in a variety of configurations
- Protection visor, cuts the power when lifted
- Serial mounting via opto cables for greater production capacity

Description	Specification	Art. No.	EAN Code	Units
Box - EU plug	66/6-8 mm; 220 V	10870402	7313468704025	1
Box - UK plug	66/6-8 mm; 230 V	10870410	7313468704100	1
Box - US plug	66/6-8 mm; 115 V	10870425	7313468704254	1



106E



3 staplers in 1 with the same functions as 105E. Equipped with interchangeable insert staplers, the Rapid 106E can handle both flat, saddle stapling and loop stapling (accessories). Suitable for work places where sheets and brochures are to be stapled.

- Capacity: 50 sheets (80 gsm paper)
- Adjustable stapling force
- Maximun stapling depth 220 mm
- 3 staplers in 1 – interchangeable insert staplers
- Protection visor, cuts the power when lifted
- Delivered with wide worktable and pedal
- Serial mounting via opto cables for greater production capacity
- Optional extras: Narrow work table, saddle staple rail, stapling head for loop stapling, opto cables.
- Tested for 500.000 operations

Description	Specification	Art. No.	EAN Code	Units
Box - EU plug	66/6-8 mm; 220 V	10875302	7313468753023	1
Box - UK plug	66/6-8 mm; 230 V	10875310	7313468753108	1
106E Twin Rig				
Box - EU plug	66/6-8 mm; 220 V	10885202	7313468852023	1
Box - UK plug	66/6-8 mm; 230 V	10885210	7313468852108	1
Box - US plug	66/6-8 mm; 115 V	10875325	7313468753252	1

66 Staples Strong

Description	Specification	Pcs	Art. No.	EAN Code	Units
66/6 mm	Galvanized; Strong	5000	24867800	7313468678005	5
66/7 mm	Galvanized; Strong	5000	24867900	7313468679002	5



6 mm 2–20 sheets
7 mm 5–30 sheets

66 Staples Superstrong

Description	Specification	Pcs	Art. No.	EAN Code	Units
66/8+ mm	Galvanized; Superstrong	5000	24868000	7313468680008	70



8,5 mm 10–50 sheets

Accessories

Description	Art. No.	EAN Code	Units
Insert Stapler for 105E	10841512	7313468415129	10
Insert Stapler for 106E	10842312	7313468423124	10
Insert Stapler for 106E - loop stapling (ring)	10843112	7313468431129	10
Pedal for 105E	10880302	7313468803025	1
Pedal for 106E	10880311	7313468803117	1
Base for 105E	108811	7313461088115	1
Vice for 105E	178004	7313461780040	1
Saddle runner for 106E	108829	7313461088290	1
Narrow table for 106E	17824412	7313468244125	1
Opto Cable 400 mm for 105E and 106E	17774101	7313467741014	1



Narrow work table (60 mm) with anvil.



Simultaneous stapling action via linked opto cables (40 cm). The staplers are sequence controlled, to avoid overloading the power supply.



R252/106 Stapling head for loop stapling (ring).



Vice (bench clamp) enables stapler to be firmly fixed to work-table if required.



The pedal is ideal for precision stapling in industrial applications. Simple plug-in connection.



The adjustable industrial multi base for mounting up to 4 staplers enables the staplers to be easily moved to anouther working area.



Special rail for saddle stapling with two or more 106E staplers.

Rapid®

SVENSKEFFIXITY

Art. No 98901637 EN

4 001536 613227